


AN INVESTIGATION OF AN AUTOMATIC MACHINE
GRADING SYSTEM FOR ASSEMBLY LANGUAGE INSTRUCTION

by

Roger Francis Bacon



United States Naval Postgraduate School



THESIS

AN INVESTIGATION OF
AN AUTOMATIC MACHINE GRADING SYSTEM
FOR ASSEMBLY LANGUAGE INSTRUCTION

by

Roger Francis Bacon

June 1969

This document has been approved for public release and sale; its distribution is unlimited.

LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIF. 93940

An Investigation
of
An Automatic Machine Grading System
for
Assembly Language Instruction

by

Roger Francis Bacon
Lieutenant Commander, United States Navy
B.S., United States Naval Academy, 1959

Submitted in Partial Fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN COMPUTER SCIENCE

from the

NAVAL POSTGRADUATE SCHOOL
June 1969

ABSTRACT

Machine grading techniques are becoming of greater importance because of the increased number of students in programming classes. Characteristics and limitations of automatic machine grading systems are proposed. A grader for introductory assembly language programming courses was developed. The properties of this grader are discussed and an example of a graded program is given.

TABLE OF CONTENTS

| | |
|------------------------------------------------------------------|-----|
| I. INTRODUCTION----- | 7 |
| A. BACKGROUND----- | 7 |
| B. OBJECTIVE----- | 7 |
| C. METHODOLOGY AND ORGANIZATION OF THESIS----- | 8 |
| II. CHARACTERISTICS OF A GRADER----- | 9 |
| A. REVIEW OF AUTOMATIC GRADING SYSTEMS----- | 9 |
| B. THE METRICS OF AN ALGORITHM----- | 15 |
| C. GRADER DESIGN CONSIDERATIONS----- | 20 |
| III. IMPLEMENTATION OF A GRADER----- | 23 |
| A. PURPOSE OF A GRADER----- | 23 |
| B. MECHANIZATION OF THE GRADER----- | 24 |
| C. USE OF THE GRADER----- | 29 |
| 1. Student Grading Conventions----- | 29 |
| 2. Instructor Grading Conventions----- | 31 |
| IV. CONCLUSIONS AND RECOMMENDATIONS----- | 36 |
| A. CONCLUSIONS----- | 36 |
| B. RECOMMENDATIONS----- | 37 |
| APPENDIX A THE STUDENT OPERATING SYSTEM----- | 39 |
| APPENDIX B THE GRADER PROGRAM----- | 47 |
| APPENDIX C FLOWCHART DOCUMENTATION OF THE GRADER PROGRAM----- | 64 |
| APPENDIX D EXAMPLES OF GRADED PROGRAMS----- | 77 |
| APPENDIX E EXAMPLE OF INSTRUCTOR'S ANSWER CONTROL SECTION--- | 97 |
| BIBLIOGRAPHY----- | 103 |
| INITIAL DISTRIBUTION LIST----- | 104 |
| FORM DD 1473----- | 105 |

LIST OF TABLES

| Table | | Page |
|-------|--------------------------------------------------------------|------|
| I. | Summary of Grader Design Characteristics | 22 |
| II. | U. S. Naval Postgraduate School Computer Facility Usage Data | 40 |

ACKNOWLEDGEMENTS

The author wishes to acknowledge the enthusiastic help given by G. L. Barksdale, Jr., of the Naval Postgraduate School. The author is also indebted to Professor Andries van Dam and Richard M. Kogut of Brown University for the opportunity to use the Brown University Student Operating System.

I. INTRODUCTION

A. BACKGROUND

The capability of an instructor to teach programming courses and to grade student programs in classes with large numbers of students has been significantly enhanced by automatic machine grading systems. The concept of computer-controlled grading of student programs was first documented by Hollingsworth [1] in 1960. Machine grading systems are known to exist at Rensselaer Polytechnic Institute [1], Stanford University [2,3], and at universities in England and Australia. These grading systems provide a method of objectively grading student programs automatically for the instructor. By utilizing the computer as an extension of his teaching methods, an equal amount of attention in evaluating class programming work is possible.

B. OBJECTIVE

The objective of this thesis is to investigate the concept of machine grading systems and to provide a practical implementation of a grader for beginning assembly language students. The fulfillment of this objective is accomplished by an analysis of grading techniques and parameters available for evaluating a program. The second element of this objective is accomplished by establishing an operating system specifically designed for assembly language instruction at the Naval Postgraduate School and constructing a machine grading program which will operate within this system and produce graded student programs. Through the courtesy of Professor Andries van Dam of Brown University, the Brown University Student Operating System was made available to the Naval Postgraduate School for use in the instruction of assembly language.

C. METHODOLOGY AND ORGANIZATION OF THESIS

The methodology of this investigation was to first review previous work in the field of machine grading. The metrics of a program which can be utilized in its evaluation are discussed in Chapter II. A summary of the essential properties of an automatic grading system is presented at the end of Chapter II. The description of a grading system and its implementation is given in Chapter III. In addition, grader use with student programs is discussed. The conclusions reached after the investigation, and the recommendations for further study are contained in Chapter IV.

The first step in constructing a grader system was to revise the structure of the Brown University Student Operating System and implement it at the Naval Postgraduate School. The Student Operating System was then examined for inherent characteristics which provide the instructor with teaching and grading capability. An appraisal of this system with respect to grading capabilities is presented in Appendix A. The other appendices contain various computer programs, flowcharts, and outputs relating to this study.

II. CHARACTERISTICS OF A GRADER

A. REVIEW OF AUTOMATIC GRADING SYSTEMS

A search of the literature for reports of automatic grading techniques produced several documents specifically addressing the subject. Perhaps the first published report of grader programs is that of Hollingsworth [1]. This grader was used at Rensselaer Polytechnic Institute in 1959 and was implemented on an IBM 650 computer. The author states that the university could not have accommodated programming classes of 80 to 120 students without the use of the grader. This early version of an automatic grader provided batch processing and grading of student jobs for a variety of exercises.

Students submitted new programs and corrections to old programs for keypunching at the end of a class period. After keypunching, the corrections were filed with the old programs and all the programs, old and new, were arranged by exercises. The grader program deck was inserted with the student jobs. Considerable effort in hand filing punched cards was necessary in this system.

This grader punched identification cards for student programs, checked results and punched either WRONG ANSWER for an incorrect solution or PROBLEM COMPLETE for all correct answers.

A great deal of operator control was required to process student programs. Manual re-entry for overflow, invalid addresses, and other problems was required. A limitation of this grader was the fact that it processed only machine language programs. Student programs could modify the grader itself, causing additional problems.

The grading system required the specification of four addresses associated with the exercise, viz., the location of the entrance to the student program, the location to which the student program must exit, the address of variables and the address of results.

An advantage of this system was that programming classes were not required to work on a single project at the same time. Since various exercises could be graded during one batch run, students could work on several projects simultaneously if they so desired. Despite some difficulties with this system, Hollingsworth [1] indicated that the grader had more than justified the effort in its implementation.

Automatic machine grading programs in use at Stanford University are reported by Forsythe and Wirth [2,3]. Two ALGOL grading programs have been used in connection with introductory ALGOL programming and numerical analysis courses at Stanford University since 1961. One grader simply furnishes data and checks answers. The other program provides a searching test of the reliability and efficiency of an integration procedure. The major difficulties and limitations of the Rensselaer grader were overcome in the grading systems in use at Stanford. The concept of basing a grade only on the binary answer "CORRECT" or "WRONG" was used for beginning students. More advanced students were graded by the second grader on their ability to solve the integration problem efficiently and with some degree of reliability. The authors claim that this grader marks a further step in the automation of grading because the quality of the program is evaluated.

R. E. Berry [4] examined the use of automatic grading programs for checking the practical work of students in a numerical analysis

course. This report provides a comparison of the Forsythe and Wirth program [2] and a grader program by Naur [5]. Both of these graders considered the same problem (finding the root of a given function to a given accuracy in a prescribed interval).

Naur's method required that the student program be included in the grader program as a labelled block of coding, accessed by means of a switch. The grader assigned values to variables which were global to the block. In this manner different problems could be presented to the student algorithm. When a solution was achieved, a branch to a given label within the grader program was made and an examination of the result was conducted. Further problems were then presented until the problem list was exhausted and the grader continued with the next student program. In contrast, the ALGOL grader implemented at Stanford [2] was called by the student program. The students were required to write a procedure with parameters in a specific order. Each procedure was tested by supplying it with different sets of parameters and checking the solution obtained.

One of the difficulties of grading was well illustrated in the work by Berry [4]. The problem of evaluating the quality of an algorithm for a problem which has various methods of solution is exceedingly difficult. The author states that in trying to present a problem to which different methods of solution are available, the possibility of successfully grading the work presented is remote.

Berry points out that the demand for automatic grading programs in Great Britain is not expected to be substantial, since computer classes are smaller. One commendable aspect of graders was verified by both Naur [5] and Berry [4]. They arouse interest and provide

an incentive to work. Students submitting programs to this type of grader found the challenge of writing the best procedure an incentive in their work.

The first known grading procedure for PL/I exercises was implemented on an IBM System/360 model 50 computer at the Australian National University in 1966 [6]. The decision to use automatic grading by computer of all student attempts at class problems was based on the following:

1. The large volume of work required for teachers to carry out grading and associated record keeping.
2. The apparent difficulty of teaching input/output sufficiently early in the course for students to begin writing programs.
3. The ease with which input test values could be supplied to the students and results printed under control of a grading procedure.

The idea of using a grading system to bypass difficult programming aspects during beginning phases of instruction was not found in earlier documentation of graders. Temperley and Smith [6] also point out that the use of PL/I made possible the evaluation of results in a variety of formats. Test data and results could be in the form of arrays, structures, bit-strings and character-strings as well as scalar numeric values.

The timeliness of this investigation is borne out by a recent paper on an automatic grading scheme for simple programming exercises by Hext and Winings [7]. This report documents the development of the Basser Automatic Grading Scheme (BAGS) at the University of Sydney, Sydney, Australia. A major difference in the BAGS system is that it can handle exercises in several different languages. No special

action by computer operators is required with this scheme. Another significant departure from previously documented graders is the structure of the system itself. Whereas most other schemes embed their exercises in some larger program, BAGS is part of the standard operating system and its exercises are run under batch processing methods.

The basic requirements of the program were as follows:

- " (1) It should handle exercises in ALGOL, in MINIGOL (a subset of ALGOL) and in KDF 9 Assembly Code.
- (2) It should not place any additional burden on the operators.
- (3) It should record every attempt at an exercise, with sufficient data for calculating a mark.
- (4) It should provide summaries on request for specified classes and exercises over a given period." [7]

The method of grading in the BAGS system is unique. The assignment of credit for an exercise not only takes into account the mark for each program attempted but also the number of attempts to solve the problem. The maximum mark for a single exercise was set at five. One point was credited for each of the following:

- a. The program compiled successfully.
- b. The program ran to completion.
- c. The first answer was correct.
- d. The second answer was correct.
- e. The program ran successfully within a prescribed central processor time.

The graded results were printed for each student in the form of i/j. This grade states that the student made i attempts at the exercise and that his best mark was j. If the student's program satisfied all five criteria the first time, a mark of 1/5 was assigned. A grade was assigned by the formula:

$$\text{GRADE} = \text{average of } \frac{100 \times j}{4 + i}$$

The average was taken over all exercises being marked.

The original version of the Brown University Student Operating System included a grading system. The SOS grader has subsequently been eliminated from the SOS system at Brown University. In a search for properties of a grader it is revealing to analyze the characteristics of the original SOS grader to determine the cause of its demise. The operation of the original SOS grading system is described as follows:

"Using appropriate supervisor calls, the student communicates answers and messages to the grader to indicate the problem to be graded (initialization), the answers and error exits to be generated, and to obtain special information dependent on the specific program being graded. In addition to communicating with the grader while his program is being executed, the student must write his program following certain conventions: 1) various sections of his program must bear standard labels as indicated in each problem assignment; 2) the data is read in the usual manner, but must be placed in an assigned location; and 3) the expected answer must be in the location and form as specified in each problem assignment." [10]

As can be seen by this description a great deal is required of the student to ensure that his program is processed properly by the grader. After attempting two different versions of the grader at Brown University, it was found that the student programs were required to initiate almost all communication with the grading program and doing this made the student programs both more difficult to write and more difficult to make efficient, due to the rigidity of the communication conventions. A second, and fatal, limitation of this system was the inability to specify a programming problem explicitly enough to allow the student to follow grader conventions without actually specifying the method of solution. A review of two student programs which had been graded by this system and

discussions with the authors of the system verified these problem areas as the reasons for elimination of the grading feature from the Student Operating System at Brown University.

It is evident that significant improvements in automatic grading techniques have evolved since the development of the Rensselaer grader in 1959. In the previous discussion of work in this field an attempt has been made to chronologically illustrate this evolution. Reference 7 states that 1500 first-year students will be enrolled in programming classes at the University of Sydney in the next two terms. Under these circumstances, the value of grading systems seems well established. However, much of the documentation on this subject has concerned implementation of a particular grading program. The next section proposes certain metrics of an algorithm which might be used in a grading system. The effectuation of some of these ideas may not be practical at present. Nevertheless, with the increased interest in automatic grading an exploration of conceivable characteristics of a grader is deemed necessary.

B. THE METRICS OF AN ALGORITHM

The term Grader Program is perhaps a misnomer; not all such programs assign a mark or grade to the work submitted. A grading system is sufficient if the program can provide enough information for a mark to be quickly assigned by the student's supervisor. The basis for the output of this information is discussed in the subsequent paragraphs.

It is advisable to discuss the upper and lower bounds of a grading system's performance. For instance, it is a well known fact that there is no algorithm to determine whether or not a given procedure

is total. That is, a grader program cannot determine whether another program contains no loops. An upper limit in the performance of a grader program might be the class of functions which fall in this category. A second class of characteristics of a grader which may limit achievable performance, is the class of functions which are computable but are impractical to implement. Berry [4] has shown that considerable complication results in grading a problem in which any one of several methods of solution might be acceptable. A lower bound in the performance of a grader is simply that it must produce some information about the algorithm being tested. A program which recorded the trivial fact that a student program had been processed provides information which might be used to evaluate a student's progress even though the program itself is not evaluated. Therefore, it can be concluded that there exists a range in which a grader must operate to produce the basis for the evaluation of an algorithm.

The most common measure used in the evaluation of a student exercise is the determination of whether or not the solution is correct. This measure may provide a sufficient basis for a grade for introductory programming exercises [1]. However, it is suggested that this is dependent on the characteristics of the problem assigned. A grader should be capable of providing information pertaining to the accuracy of a program result. In addition, a grading program should be capable of measuring this value in a variety of formats such as in the BAGS grading system [7].

Criteria for evaluating a program which have been used are successful assembly, successful execution, and the number of

attempts at an exercise [7]. Such criteria form an absolute judgement of a program in that the evaluating process does not consider the quality of the program.

A grader which only evaluates the results of another program does not provide specific information about the program itself. Qualities of a program which have significance with respect to grading are execution time, storage utilization, programming techniques, program logic and annotation. These characteristics form a basis for the measure of the quality of a program.

The completion of a programming exercise within a sufficiently short central processor time was one criteria in the BAGS method of grading [7]. This measure of a program can provide the instructor with a means of evaluating program efficiency. Application of this measurement is more appropriate for advanced programming classes.

The amount of storage utilized by a program is a characteristic which can be used to evaluate its quality. This measure is all too often neglected in programming classes but has direct application in the field. Incorporation of this measurement in a grading system can be an effective means of stressing the importance of the efficient use of storage.

If an instructor compared a program which contained one hundred ADD instructions to sum one hundred numbers with a program which used a single indexed ADD instruction in a program loop, the latter would undoubtedly be considered superior. Although programming techniques vary considerably, the quality measure of a program may provide the best criteria for evaluation of a programmer's efforts. Due to the fact that good programming techniques decrease execution time and

provide efficient use of storage, this measure is more effective than analysis of time or storage parameters alone. The multiplicity of thought forms a substantial barrier to the implementation of this characteristic in a grading system. A specific problem could possibly be designed which then would be inspected for key variables in a prescribed optimum order by a grading system. It appears that the implementation of such a system would require the development of an extremely capable heuristic pattern matching algorithm. It is doubtful whether the effort would be justified in obtaining this measurement.

A definition of program logic is given by Montalbano [8]. The subject matter of program logic is the matching of appropriate actions to given conditions. For example, program logic is concerned with such statements as "if a given record is an inventory adjustment, process the record before all other records affecting this stock item; if the record is a receipt, process it before any sales order affecting this stock item." In essence, program logic is the effective description of computer outputs as functions of inputs. Techniques such as narrative description, program comments, flow charts, decision tables and system specification languages of the Iverson type are tools for expressing program logic [8].

The logical structure of an algorithm is another measure which forms a basis for the evaluation of the program. The evaluation of the logic of the program is extremely difficult because of the variety of paths which a programmer may take to solve the problem. Chapter IV describes the implementation of a grader which can evaluate subsections of a program independently. The logical

order in which a solution was attempted might be measured in the broadest sense by verifying the result of each sequential section of a program. A method to compare program logic descriptions such as those described in [8] would be an invaluable grading technique. At the present time an inspection by the instructor of program logic descriptions such as flow charts is required.

Higher level languages have an advantage over assembler languages in that they possess a "self-documenting" feature [9]. The documentation of assembly language programs is an important area which requires evaluation. The annotation of a program varies from individual to individual. The basic rules of documentation for assembly language programs are described by Opler [9]. It is doubtful if a machine process could automatically produce an evaluation of a student program with respect to these rules. This author believes that graphic methods may prove to be an effective way of quickly evaluating the logic and the documentation of a program. A correct logic flow chart might be superimposed on a student flow chart on a display device. Key decision blocks could then be checked by the instructor. Spot checking of annotation can be accomplished on a graphic display device if the student programs are disk resident such as in the SOS system (Appendix A).

The concept of providing automatic methods which will evaluate the quality of a program is in its infancy. It is expected that further work in this field will incorporate some of the previously listed metrics of a program.

C. GRADER DESIGN CONSIDERATIONS

The first consideration in designing a grading system should be the specification of objectives. What type of information is necessary to evaluate the programs in a particular course? The designer must concern himself with the previously mentioned parameters of a program which are required to be measured.

The second step in the design of a grader is to carefully investigate the system available for grader use. Forsythe [3] reports that the Stanford grader was possible only because of the well-designed BALGOL compiler with its own compiler-with-library generator, and because a procedure called BUTTERFLY could generate relocatable machine-language programs. It was found that neither the IBM 7090 BALGOL system nor the Burroughs B5000 ALGOL 60 system were well adapted to the grading problem at Stanford University.

One of the most critical characteristics in the design of a grading system is the amount of involvement of the student with the grader itself. The student should not be required to alter his program significantly to conform to grader conventions. A minimum of communications between the grader and the student, with maximum communication capability between the instructor and student should be the rule in a grading operation.

Another feature of a grading system which must be considered is the work required by the instructor to program the grader to process the specific problem. The grading system should include macro-instructions for instructor messages and general communication sections for the passing of answers and data. In general, instructor involvement with the grader should be held to a minimum.

The student should be able to work out solutions using his own data, but data should be provided by the instructor in some manner at grading time. Grading of the program with data from the instructor could present situations which had not occurred to the student.

A grading system should be able to handle a variety of problems. Programming a complete grading system to evaluate a specific problem would be inefficient. Manual intervention by computer operators to process grading jobs is impractical on present large scale computing systems such as the IBM/360. Execution time of the student program should not be significantly increased when executed for grading. Additional characteristics such as the ability to evaluate programs written in different languages, and the capability to change problem parameters with minimum effort should be considered in the design of a grading system.

A summary of proposed grader design characteristics is presented in Table I. This list is a summary of features which might be considered in the design of a grading system.

These characteristics of a grading system have been proposed as the result of study of documented grading systems and also from limited experience gained in implementing a practical grader. Such features, if only achieved to some minimum degree, will provide a grading system which can assist the instructor greatly in programming instruction classes. The next chapter discussed the mechanization of a grading system which possesses most of these characteristics and is primarily designed for use in beginning assembly language programming courses.

TABLE I

SUMMARY OF GRADER DESIGN CHARACTERISTICS

A. EVALUATION CAPABILITY

| <u>CHARACTERISTIC EVALUATED</u> | <u>TYPE OF MEASURE</u> |
|---------------------------------|------------------------|
| Result of Algorithm | Absolute |
| Tolerance of Solution | Absolute |
| Successful Assembly | Absolute |
| Successful Execution | Absolute |
| Number of Attempts at Exercise | Absolute |
| Assembly Time | Quality |
| Execution Time | Quality |
| Number of Instructions Executed | Quality |
| Storage Utilization | Quality |
| Program Logic | Quality |
| Method of Solution | Quality |
| Documentation | Quality |

B. MINIMUM STUDENT COMMUNICATIONS WITH GRADER

C. MINIMUM INSTRUCTOR EFFORT IN USING GRADER

D. CAPABILITY TO GRADE DIFFERENT LANGUAGES

E. CAPABILITY TO GRADE A VARIETY OF PROBLEMS

F. AMOUNT OF OPERATOR ATTENTION REQUIRED

G. EFFORT REQUIRED TO ALTER OR ADD PROBLEMS TO GRADING SYSTEM

H. DATA MANIPULATION FOR PROBLEM DURING GRADING RUN

III. IMPLEMENTATION OF A GRADER

A. PURPOSE OF GRADER

Since the Student Operating System (Appendix A) is well-suited for beginning assembly language programmers, a grading program for use in introductory programming classes was written. The primary purpose of this program is to check student answers and assign a grade. It is designed to be used for grading small projects assigned to students who are just learning the language. With a grading system to handle numerous small projects, concentration on one particular area such as indexing, looping or arithmetic operations is possible and a project can be assigned to cover that subject. This type of grader allows the instructor to assign more projects and gives the student an opportunity to obtain machine experience on a wider variety of assembly language programming aspects. This would not be permissible with a system which was designed for a specific problem of a more complex nature.

The grader is an absolute type of system in that it operates on answers from the student. In addition to checking answers, communications from the instructor to the student have been included as an essential part in the design of this grader. In summary, the purpose of the grader is to allow the instructor to assign numerous small projects in an introductory assembly language course, to grade the projects and provide messages from the instructor to the student. By using the computer as a tool for evaluation of class work, the instructor can provide an equal amount of attention to appraising each student's progress.

B. MECHANIZATION OF THE GRADER

Although the Brown University Student Operating System Grader program has been eliminated from the system, the structure for including a grader was intact in the system received. By choosing the GRADER=YES option at system generation time, communication links, control blocks, and initialization of parameters for a grader were generated within the SOS system. Through the use of parts of this available structure and modifications to o. elimination of some of its features, it was possible to concentrate efforts on the grading program itself.

The grader operates under control of the SOS control program, and is called by the student when he feels that his program is correct. The basic structure of the grading program and its interrelation with the rest of the SOS system is shown in Chart Number 1, Appendix C. During initialization of a student's program the SOS control program calls the bookkeeper. The bookkeeper sets system options specified by the user. If the student has specified GRADER=YES on his job card, grader parameters are initialized by the bookkeeper and the grader program is called.

A heading indicating that this is a grader run is printed and the SOS interpreter is then called from the grader. The SOS interpreter executes SOS machine code interpretively. The first two instructions of the student's program are executed setting up initialization of the grader for the particular problem specified by the student.

After grader initialization, the interpreter continues execution of the student's program until it is desired to have an answer checked. The student issues a supervisor call and indicates

the location of his answer. The main section of the grader checks the answer and assigns a grade, substitutes the correct answer if the instructor so desires, prints the results and any messages from the instructor if the answer was not correct. Control is passed to the interpreter again for further execution of the student's program. This technique of grading the student's program during execution continues until the final answer is graded. Return to the control program is then made and the next student job is processed.

The grading program has an initialization section to initialize the grader for a specific problem. The main section of the grader handles all aspects of grading the problem. A communications section for passing answers and messages from the instructor is included. The grader is designed to grade up to five intermediate answers for a problem and a final answer. The capability of grading twelve different problems is included in the grading program. Six different answers should suffice as a maximum for beginning programming projects. The capability to grade twelve different problems allows the instructor to assign one problem per week during the class quarter.

The first part of the grading program establishes addressability with the other major sections of the SOS system and saves the return address to allow return to the control program at the end of the grading run. A grader heading is printed and the interpreter is given control. Execution of the first instruction in the student's program starts the initialization of the grader. The return address to the interpreter is first saved and the program control counter is incremented to point to the next sequential instruction in the student program. A check for student core wrap around is made and a

check for a proper initialization call is accomplished. A halfword grader control block is used throughout the program to set various conditions. The first byte of this control block is used by the system. The bookkeeper sets a bit on if the student has asked for a grading run. The grader initialization section turns a second switch on if grading is in process. The second byte of the grader control block is used by the instructor to control various functions of the main grading section and its use will be described in the section on use of the grader.

If a grading run has been requested and initialization has not yet taken place, the data for the problem specified is placed in a general communication section. This is accomplished by the use of a dummy section which describes the layout of storage for the data that the instructor has defined for a specific problem. Symbolic names defined in the dummy section are then used as operands in the main grading section during the grading process. This method allows the instructor to separately assemble the appropriate data in a control section and use the link editor to link his answer CSECT in object form to the system.

Various error routines and messages are included in the grader initialization section. Upon completion of initialization, a message to that effect is printed and execution of the student's program is continued. The grading program grades the result of up to five intermediate sections which the student has used in his program to achieve a final answer to a specific problem. When the student has reached a particular result, the main grader section of the grading program is called. This section first determines which

answer has been specified, and then branches to the appropriate routine. The grading routines for intermediate answers are similar except for correct answer usage data and the messages sent to the student.

The intermediate answer grading routines first obtain the student's answer. This is accomplished by the subroutine called GETANS. The address of the answer in student core, which is word-oriented, is obtained and converted to a System/360 address. The correct answer specified by the instructor is then compared with the student's answer. If the answer is correct, a message indicating this fact is printed and credit for that answer is accumulated. The accumulated credit for each intermediate answer is also printed. If the student answer is not correct, a test is made to see if the instructor has a message for the student which might assist him in obtaining the correct answer. If the instructor has included a message, it is printed on the student's output. The instructor has the option of substituting correct data for a wrong answer if he so desires. Thus the subsections of a student program can be checked even if the program as a whole computes incorrectly. If the instructor has chosen this option, the correct data is moved into the student core address of his incorrect answer. No credit is accumulated for a wrong answer. A message indicating that the answer was not correct is printed.

If there is just one answer for a particular problem or if a final solution has been reached, the final answer routine of the main grading section is entered. The final answer routine checks the solution and prints a message indicating whether it is correct or not. A total grade is then determined. Fifty points are given

for a correct final answer. Each of the five intermediate answers are worth ten points. A grade for a problem with five intermediate answers and a final answer is totaled by summing the accumulated intermediate answer credit and the credit for the final answer. If the problem required less than five intermediate answers, the accumulated credit for the intermediate answers is first supplemented to fifty and then added to the credit for the final answer. The assignment of these credit values for intermediate and final answers is arbitrary and may be changed by an instructor with only minor modifications to the grading program. The total machine grade and any final message to the student is then printed on the student's output.

The next part of the grading program evaluates the efficiency of the student's program to some extent. The number of instructions executed in the student program is printed. The mean number of instructions executed in previous programs for this project is supplied by the instructor in his answer control section. These two values are compared and additional credit is given to the student whose program required the execution of fewer instructions. A message indicating whether the student required more or less than the median is printed. The total machine grade with bonus credit is then printed. This capability is optional and is set by the instructor in the answer control section.

A return to the SOS control program is then made for further processing of student jobs. The grader program is included in Appendix B. Flowchart documentation of the program is included in Appendix C.

C. USE OF THE GRADER

This section describes the conventions which must be followed by the student and the instructor to ensure proper operation of the grading system. Examples of graded student programs are shown in Appendix D. The control section established by the instructor to communicate answers and messages to the grader is also included as Appendix E.

1. Student Grading Conventions

The student is required to indicate four items to the grader. He must first specify that he desires his program to be graded. The student then indicates which problem is to be graded. When the student has reached a solution to the problem he must indicate to the grader which of the six possible answers he wants to have checked and the location of that answer.

a. Calling for a Grading Run

When the student feels that his program is ready for grading, he utilizes the JCL bookkeeping parameter option feature of the SOS system to call the grader. This is done by placing GRADER=YES on the job card starting in column 26.

EXAMPLE:

| | | | | |
|---------|------|---------|---------|------------|
| Column: | 1 | 6 | 16 | 26 |
| | /JOB | BACONRF | SOSJOB1 | GRADER=YES |

b. Specification of the Problem to be Graded

To indicate which problem is to be graded the student places as the first executable instruction of his program the supervisor call SVC 3,0 and a second instruction DC (decimal number 0 through 11) immediately following the supervisor call. The supervisor call initializes the grader for the problem specified in the

second instruction. For example, if the student desired problem number three to be graded, the first two instructions of his program would be as follows:

| | | |
|---------|-----|-----|
| Column: | 10 | 16 |
| | SVC | 3,0 |
| | DC | 2 |

c. Specification of the Answer to be Graded

The student must indicate to the grader which answer is to be graded. This is accomplished by issuing a supervisor call.

EXAMPLE:

| <u>SUPERVISOR CALL</u> | <u>SPECIFIES THIS ANSWER</u> |
|------------------------|------------------------------|
| SVC 3,1 | First intermediate answer |
| SVC 3,2 | Second intermediate answer |
| SVC 3,3 | Third intermediate answer |
| SVC 3,4 | Fourth intermediate answer |
| SVC 3,5 | Fifth intermediate answer |
| SVC 3,6 | Final Answer |

d. Specifying the Location of the Answer

Immediately following the supervisor call specifying the answer, the student places a HALT instruction with a single operand which is the symbolic name of the location of the answer.

An example of a student requesting a check of his fourth intermediate answer which had been previously stored in a storage location called ANSWER would be as follows:

| | | |
|---------|----------|---------------|
| Column: | 10 | 16 |
| | SVC H | 3,4 ANSWER |

2. Instructor Grading Conventions

The instructor must indicate four items to the grading system: the number of answers to be graded; the correct answers; messages to the student; and grader options.

a. Specification of Answers

To pass correct answers to the grader, the instructor defines fullword constants through the use of a macro-instruction called ANS. The answers will be defined in the instructor's control section.

EXAMPLE:

| | | |
|---------|-----|----------------|
| Column: | 10 | 16 |
| | ANS | 8,13,-99,33397 |

The above example defines three intermediate answers and a final answer. Answers must be specified in order.

b. Specification of the Number of Answers

The number of answers to be graded is defined as a fullword constant in the control section.

EXAMPLE:

| | | | |
|---------|----------|----|-----------------------|
| Column: | 1 | 10 | 16 |
| | NOINTANS | DC | F'decimal number 0-5' |

c. Specification of the number of instructions executed.

The instructor specifies a value for the grader to use in the comparison of instructions executed by the student's program by defining a fullword constant in the control section.

EXAMPLE:

| | | | |
|---------|-----|----|-------------------|
| Column: | 1 | 10 | 16 |
| | NOX | DC | F'decimal number' |

d. Specification of grader options

The grading system has three optional features. Messages to the student, the substitution of correct answers, and the assignment of additional credit are chosen by the instructor through the use of a macro-instruction called PROF. If it is desired to include all three features the default is chosen as follows:

| | | |
|---------|------|-----------------------|
| Column: | 10 | 16 |
| | PROF | (blank operand field) |

Operands to eliminate these features are:

NOMSG - eliminates message feature
NODATA - correct answers are not substituted
NOBONUS- feature to check the number of instructions
executed and assign bonus credit is removed

EXAMPLE: To prevent the substitution of correct answers and eliminate the assignment of additional credit the instructor writes:

| | | |
|---------|------|-----------------|
| Column: | 10 | 16 |
| | PROF | NODATA, NOBONUS |

Note: The operands may be placed in any order in the operand field.

e. Specification of messages

The instructor may send a message to the student whenever an incorrect answer is obtained and at the end of a grading run. These grader messages are defined through the use of a macro-instruction called MSG. The instructor may define as many as six messages in the control section. The labels for the messages are IMESS1 through IMESS5 for intermediate answer messages and IMESSF for a final message. Messages can be up to 132 characters in length.

EXAMPLE:

| | | | |
|---------|--------|-----|----------------------|
| Column: | 1 | 10 | 16 |
| | IMESS4 | MSG | 'message to student' |

Note: This message would be printed if the student's fourth intermediate answer were incorrect.

The order in which these items must be defined in the control section is shown in the example in Appendix E. The instructor specifies these parameters in a control section with labels which indicate the particular problem. GINITO indicates the first problem

whereas GINIT11 indicates the twelfth problem. The control section can be assembled and an object deck obtained using the System/360 ASMA procedure. The control section may then be linked to the SOS system by the linkage editor.

D. FEATURES AND LIMITATIONS OF THE GRADER

A comparison of the characteristics of this grader with the general properties of grading systems listed in the previous chapter is now presented. The SOS grader accomplishes the basic objective of determining whether an answer is correct or not and assigning a grade.

The student involvement with the grading system itself has been kept to a minimum. Very little is required of the student to indicate the problem to be graded and correct answers.

The student can be assisted in his programming by messages from the instructor. This feature allows up to six messages from the instructor to the student. These messages are predefined to fit the circumstances of the problem solution.

Through the use of a general communications section, ease of specifying the answers and messages for various problems is made possible. Macro-instructions for use with the answer control section allow the instructor to provide grader data with minimum effort.

A feature of the grader is its flexibility in grading as many as six answers for one problem and its ability to grade twelve different problems during one batch run of student jobs. Students may work on several projects at the same time because of this capability.

The substitution of correct intermediate answers allows independent grading of the subsections of the student's program. By evaluating each section of a program separately, a more representative grade can be assigned.

The only feature of the grader which examines the quality of a student's program is the examination of the number of instructions executed. A better measurement of the efficiency of the program would be the execution time of the student program. The grader does not evaluate storage utilization or the number of runs submitted prior to grading. Inherent characteristics of the SOS system can be used by the instructor to assign a grade based on these parameters. These characteristics are discussed in Appendix A.

The SOS system uses word-oriented storage. Because of this, the grader is designed to evaluate fullword answers. A minor limitation is the fixed credit structure of the grader. However, this can be modified to suit a particular instructor's desires. Since the grader is designed for use in beginning programming classes, these limitations do not affect the capability to grade the type of program expected in introductory class work.

IV. CONCLUSIONS AND RECOMMENDATIONS

A. CONCLUSIONS

A grading system for use with the Student Operating System in beginning assembly language classes has been implemented at the U.S. Naval Postgraduate School. This system will significantly aid the instructor who must grade student exercises in classes with a large number of students.

This type of grader will provide the capability to assign more exercises during the academic quarter. Programming instruction can emphasize various aspects of the language in each assignment, thus allowing the student to gain more experience in assembly language programming.

Since the evaluation of a programming exercise is inevitably repetitive, the concept of writing a grader program which would be able to check other programs is both practical and useful. Documentation of previous grading systems has emphasized the implementation of the grading program. This investigation has examined the overall concept of a grading system. Characteristics of a grader have been evaluated. Several of these characteristics which measure the quality of a program would be extremely difficult to implement at the present time. Despite these complexities, it is anticipated that grading systems of the future will concentrate on the evaluation of the quality of a program.

A significant quality of grading systems in general is the fact that the machine may be more objective in grading than the human, because of its notable lack of prejudice and its inability to become bored [3].

Grading systems generate a paradoxical situation. A system which is designed to minimize student involvement with the grader itself, invariably requires more effort on the part of the instructor. A grader which not only checks answers but also evaluates the quality of the program may require considerable additional labor by the instructor. Because of this situation, tradeoff between student requirements and instructor efforts must be fully evaluated prior to the design of a grading system.

The grading system should allow the instructor flexibility in generating class assignments by minimizing programming work on his part with respect to the grader. It should be recognized however, that once the initial effort is expended in generating the problem, it can be utilized many times.

When a grading system is to be programmed, it behooves its designer to thoroughly examine the system with which it will interact. The communication capabilities and limitations of the system must be evaluated. The system parameters such as execution time, the number of instructions executed, and storage limitations should be examined before the initial design of a grading system. In this manner, various existing facilities may be used in the grading system.

B. RECOMMENDATIONS

It is strongly recommended that the grading system be used at the Naval Postgraduate School. It represents a powerful aid to assembly language programming instruction.

Recommendations for augmentation of the grader are:

- (a) Inclusion of the standard data option of the Student Operating System to be used in conjunction with the grader.

- (b) Revision of the Student Operating System statistics keeper so that it can produce a grade book based on results obtained from the grader.
- (c) Modification of the grader by replacing student supervisor calls to the grader with simple Student Operating System macro-instructions.
- (d) Provide the Student Operating System with a meaningful timer and revise the grader to utilize execution time as a measure of the efficiency of student programs.
- (e) Assignment of these recommendations to students as suitable term projects in an assembly language programming class.

Very little work has been done in developing effective techniques to automatically evaluate the quality of a program. It is recommended that further investigation of both the theoretical and the practical phases of this area of grading be conducted.

APPENDIX A

The Student Operating System

A. PROGRAMMING INSTRUCTION AT THE POSTGRADUATE SCHOOL

Students taking a beginning Computer Science course at the Naval Postgraduate School have ample opportunity for actual machine experience. This is not the case for some universities where cost considerations take precedence and research work usually justifies the existence of the university computer center.

To add credence to the idea of efficiently instructing programming courses, an indirect measure of the amount of programming instruction at the Postgraduate School was obtained. This measure is the number of WATFOR jobs processed. WATFOR is an acronym for the Waterloo FORTRAN compiler. This system has been used extensively for introductory FORTRAN programming classes since October, 1967.

Table II presents the Naval Postgraduate School Computer Facility usage data. Approximately forty percent of the total number of computing jobs submitted in the past eighteen months have been WATFOR jobs. This is an indication that a primary use of the Computer Facility is programming instruction. Many of the jobs listed in the STUDENT category of Table II are also programming instruction class work. Faculty programming jobs comprise 8.75 percent of the total and are assumed to be primarily associated with research studies. This evidence indirectly substantiates the fact that a major use of the Computer Facility is programming instruction.

TABLE II
U. S. NAVAL POSTGRADUATE SCHOOL COMPUTER FACILITY USAGE DATA
(NUMBER OF COMPUTING JOBS SUBMITTED)

| MONTH/ YEAR | STUDENT | FACULTY | SOURCE OF INPUT | | | | TOTAL |
|----------------|---------|---------|-------------------|---------------|--------|--------|-------|
| | | | COMPUTER FACILITY | MISCELLANEOUS | WATFOR | | |
| MAR 69 | 8,395 | 2,793 | 351 | 300 | 5,083 | 16,922 | |
| FEB 69 | 11,455 | 1,121 | 534 | 260 | 4,142 | 13,370 | |
| JAN 69 | 5,340 | 960 | 550 | 216 | 2,968 | 7,066 | |
| DEC 68 | 3,763 | 461 | 181 | 60 | 1,977 | 4,465 | |
| NOV 68 | 14,808 | 775 | 371 | 62 | 7,940 | 16,016 | |
| OCT 68 | 12,032 | 969 | 442 | 167 | 7,227 | 13,610 | |
| SEP 68 | 10,427 | 673 | 461 | 178 | 2,866 | 11,739 | |
| AUG 68 | 14,420 | 838 | 538 | 206 | 8,031 | 16,002 | |
| JUL 68 | 12,179 | 796 | 512 | 194 | 8,242 | 13,681 | |
| JUN 68 | 4,978 | 826 | 502 | 174 | 2,210 | 6,480 | |
| MAY 68 | 17,475 | 771 | 566 | 193 | 8,702 | 19,005 | |
| APR 68 | 13,384 | 736 | 493 | 96 | 6,111 | 14,709 | |
| MAR 68 | 9,777 | 853 | 698 | 116 | 4,848 | 11,444 | |
| FEB 68 | 8,239 | 1,175 | 496 | 54 | 4,013 | 9,964 | |
| JAN 68 | 4,519 | 1,066 | 483 | 65 | 1,718 | 6,133 | |
| DEC 67 | 4,068 | 740 | 351 | 61 | 1,489 | 5,220 | |
| NOV 67 | 9,582 | 1,306 | 398 | 56 | 2,577 | 11,342 | |
| OCT 67 | 7,366 | 1,183 | 348 | 77 | 2,065 | 8,974 | |

B. THE ORIGINAL STUDENT OPERATING SYSTEM

A system which can be used for assembly language instruction is the Brown University Student Operating System [10]. This student operating system provides an assembler which produces code for a simplified machine, an interpreter which simulates the simplified machine and a control program for storage manipulation, editing of the student's program and statistics gathering. Wile [10] documents the capability of this system to provide assembly language teaching and processing at costs comparable to other university algebraic compilers used for student programming instruction.

The Student Operating System (SOS) offers several advantages to the instructor who wishes to utilize the IBM System/360 in an assembly language class. The feature of changing basic parameter settings at system generation time or taking default options allows the instructor to change the capabilities of the entire system for particular programming projects. All of the system is in core at all times and set up for each student job requires less than twenty machine instructions. SOS utilizes a simplified job control language, thus practically eliminating the difficult task of explaining the use of and reason for the complex, but extremely powerful, general purpose JCL required by the System/360 Operating System. Student jobs are cataloged on a disk; editing is done directly on the cataloged programs, thus introducing the student to the concept of text editing and library maintenance as well as reducing the volume of cards which the computer is required to read.

The SOS machine and assembly languages were designed to eliminate some of the more difficult programming concepts inherent in the

System/360 machine and assembly languages [10]. However, the SOS processing languages provide a compatible introduction to the related System/360 languages as the SOS assembly language mnemonics are, in general, a subset of the System/360 mnemonics. Arithmetic and logical operations are performed in a similar manner to System/360 operations. Data is in two's complement form and operations are performed in registers producing results and interruptions similar to 360 instructions.

The instructor may view the elimination of base/displacement addressability considerations, variable length instruction and data formats, floating point, packed decimal and character format conversions, relocatability, control and dummy section capabilities, and condition code testing from the assembly language repertoire as being too restrictive for the proper introduction of assembly language programming to the student. However, it is the opinion of this author that provisions included in the SOS system for indexing, indirect addressing, register addressing, overflow testing, and all arithmetic and logical operations are adequate to accomplish the objective of assembly language instruction at this school. A reasonable statement of this objective is to provide the student with an understanding of the structure and organization of a computing machine. It is not the intent of this study to document in detail the Student Operating System and its language. Specifications for the system and a description of its use may be found in Ref. 11.

C. IMPLEMENTATION OF THE SOS SYSTEM

The SOS System was obtained from Brown University in October, 1968. Documentation of the system received was negligible. System

generation was accomplished by issuing a single macro instruction (SOS); all program segments were included as lower level macro calls. This version was unsuitable for practical use in implementing a grader program within the system or for making changes to the system in general. The "SOS" macro included system default parameters. Required global set symbols were included in this macro. The main section of the "SOS" macro was the SOS processor common area. This section called the eight major macros in the system. The system assembled as the single macro-instruction "SOS" with this structure.

The IBM System/360 assembly language includes the COPY instruction. This instruction obtains source language coding from a library and includes it in the program currently being assembled. The assembler inserts the requested coding immediately after the COPY instruction is encountered. This instruction was utilized to provide a system structure which allowed manipulation of each of the eight major sections separately. The macro structure of each of the previously mentioned macros was removed and all global set symbols were placed in a section named SOSGBL which was then used as copy text in the SOS macro. Keyword parameters in the SOS macro were modified to make them compatible with the revised structure. In addition, the SOS macro was shortened to include only the necessary set symbol instructions. The original SOS processor common area was modified to call in the eight major program sections of the system by the use of COPY statements instead of the previous macro-expansion method. This section of coding was renamed SOSMAIN. The modified version of the system was generated on 7 February 1969.

D. SOS CHARACTERISTICS FOR STUDENT EVALUATION

Several inherent characteristics of the SOS system interrelate with the concept of grading a student's programming work. In describing the operation of a grader in use at Stanford University, Forsythe and Wirth [2] state that it is inappropriate to grade beginning students on the execution time of their programs or to evaluate the amount of storage used by their programs. Certainly the novice programmer should not be severely restricted in his programming efforts by these parameters. However, he should be made aware of their existence and thus eliminate the breeding of poor programming habits at the outset of instruction. By using the capability of varying system parameters in the SOS system the instructor may impose restrictions which will require the student to consider such aspects of programming as storage utilization, the number of instructions executed, register usage, and the number of program runs to achieve a solution.

The capability of imposing restraints on the student is essentially a method of evaluating his ability to program within the restricted environment. It is not an absolute grading mechanism, but rather a circuitous method of examining his programming ability. The features of the SOS system which provide this capability are discussed in the subsequent paragraphs of this section.

The highest configuration of SOS core the instructor wishes his students to use can be set by the keyword parameter MAXCNF = (1/2/..../8) at system generation time or by the bookkeeping parameter CONF = (1/2/..../8) at execution time. The student core size is then set to the value specified times 512 words. An instructor could generate a problem whose solution required approximately 1000 words

of storage and then specify in the assignment that the bookkeeping parameter $CONF = 2$ must be used on the student's job control card. If the student solved the problem within a 1024 storage environment, he could be given additional credit. The poorer student could still achieve the solution but would use the default parameter of 8 (4096 words). The actual configuration used is printed on the first page of the student's output by the bookkeeper. The ability to vary student core size is beneficial to the student because he can be made aware of real-world machine limitations at the start of his programming experience.

One means of student evaluation is to limit the number of programming runs that a student may submit prior to final grading of a project. This method insures that the student will carefully think out each step of his program and thoroughly review each instruction before submitting it for execution.

The SOS system provides the capability to record the number of runs a student submits for execution. If the system is used properly, students will be required to catalogue their programs in the student job library on a disk. All changes to the program are then made through the use of the SOS editing feature. On the first page of the student's output under the data card listing a message is printed "NEXT RUN IS NO.----." This provides the instructor with a means of evaluating the ability of the student to achieve a solution to the problem in as few runs as possible. Again this characteristic of the system does not pass an absolute judgement on a student's solution to a programming project. It does however, provide a better means of evaluating the overall potential of the student.

A third built-in grading characteristic of the SOS system is the capability to vary the maximum number of allowable executable instructions. The primary purpose of this feature is to prevent infinite looping. The maximum number of allowed executable instructions may be set at system generation time by the keyword parameter SOSMAX = (, , maximum number of instructions) or at execution time by the student through the use of the bookkeeping parameter INSC = (decimal number) on the student's job card. This parameter is evaluated directly by the Grader and is discussed in Chapter III.

In summary, the major capabilities of the SOS system with respect to student program evaluation are storage utilization flexibility, the capability to record every attempt at an exercise, and variability of the maximum allowable number of executable instructions. Imaginative and prudent application of these features of the SOS system by an instructor should motivate the student toward good programming practices and at the same time allow a broader evaluation of the true capability of the student.

APPENDIX B

The Grader Program

The Grader Program is shown in assembled form. The Grader Program is assembled with the Student Operating System when the keyword parameter GRADER=YES is chosen at system generation time.

| LCC | PROJECT CODE | SCHOOL | STUDENT OPERATING SYSTEM | *** GRADED *** |
|--------|--------------|-------------|--------------------------|------------------|
| 016570 | 5830 F120 | ADDR1 ADDR2 | SVMT | SOURCE STATEMENT |
| 016580 | C7F3 | 16508 | 3182 | L 3,=V(INTERPT) |
| | | | 3183 | RR 3 |
| 016584 | | | 9185 | SAVE14 |
| 016588 | | | 9186 | PS |
| 016589 | 00000000 | | 3187 | LTORG |
| | | | 9189 | =V(INTERPT) |
| | | | | ORCP 15 |

GET ADDRESS OF INTERPT
GO TO INTERPRETER FOR EXEC. OF 1ST INST

| LOC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE STATEMENT | STUDENT OPERATING SYSTEM | *** GRADEP *** |
|--------|-------------|-------|-------|--------|----------------------------------|--------------------------|----------------|
| 014F2F | 59FC C240 | | 170CC | 8248+ | LA 15,=A(SOSPRINT) | | |
| 014F32 | C5FF | | | 8249+ | LA 14,15 | | |
| 014F34 | 411C C244 | | | 8250 | GPRT 4,01,02, , | | |
| 014F38 | C201 1000 | | 170DC | 8251+ | LA 1,=CL12, , | | |
| 014F3E | 59FC C240 | | 171C2 | 8252+ | MVC 0(2,1),=X,0102, | | |
| 014F42 | C5FF | | 170CC | 8253+ | LA 15,=A(SOSPRINT) | | |
| 014F44 | 59FC C234 | | 170CC | 8254+ | LA 14,15 | | |
| 014F48 | C7FE | | | 8255 | LA 14,SAVE214 | | |
| | | | | 8256 | BR 14 | | |
| | | | | 8258 * | | | |
| | | | | 8259 * | | | |
| | | | | 8260 * | | | |
| | | | | 8261 * | | | |
| | | | | 8262 * | | | |
| 014F44 | 411C C11A | | 16FA6 | 8264 | GERRI | | |
| 014F4E | 59FC C240 | | 170CC | 8265 | LA 1,GMFESS1 | | |
| 014F52 | C5FF | | | 8266 | LA 14,15 | | |
| 014F54 | 411C C278 | | 17104 | 8267 | LA 19,0F,02, , **ABNORMAL E0J** | | |
| 014F58 | 59FC C24C | | 17116 | 8268+ | GPRT 1,=CL12, , **ABNORMAL E0J** | | |
| 014F62 | C5FF | | 170CC | 8269+ | MVC 0(2,1),=X,0F02, | | |
| 014F66 | C43F C004 | | | 8270+ | LA 15,=A(SOSPRINT) | | |
| 014F6A | 59FC C248 | | | 8271+ | LA 14,15 | | |
| 014F6E | 59EE C000 | | 170D4 | 8272 | LA 1,GPRT,X,3F, | | |
| 014F70 | C5FF | | 0C0CC | 8273 | LA 14,=A(SAVE14) | | |
| 014F72 | 4320 C2BC | | 17118 | 8274 | LA 14,0(14) | | |
| 014F76 | 4720 CCF2 | | 16E7E | 8275 | LA 2,=H*6, | | |
| 014F7A | 47FC C088 | | 16F44 | 8276 | CH 2,81 | | |
| 014F7E | 411C C303 | | 1718F | 8277 | GPRT 1,GPRT | | |
| 014F82 | C201 1000 | | 1711A | 8278 | LA 17,0F,02, , **SVC UNKNOWN** | | |
| 014F88 | 59FC C240 | | 170CC | 8279+ | LA 1,=CL17, , **SVC UNKNOWN** | | |
| 014F8C | C5FF | | | 8280+ | MVC 0(2,1),=X,0E02, | | |
| 014F8E | 47FC C0C8 | | 16F54 | 8281+ | LA 15,=A(SOSPRINT) | | |
| | | | | 8282+ | BR 14,15 | | |
| | | | | 8283+ | GPRT 8 | | |
| | | | | 8284 | GINERR | | |
| | | | | 8285 | GINERR | | |
| | | | | 8286+ | GINERR | | |
| | | | | 8287+ | GINERR | | |
| | | | | 8288+ | GINERR | | |
| | | | | 8289+ | GINERR | | |
| | | | | 8290 | GINERR | | |
| | | | | 8291 | GINERR | | |
| | | | | 8292+ | GINERR | | |
| | | | | 8293+ | GINERR | | |
| | | | | 8294+ | GINERR | | |
| | | | | 8295+ | GINERR | | |
| | | | | 8296+ | GINERR | | |
| | | | | 8297+ | GINERR | | |
| | | | | 8298+ | GINERR | | |
| | | | | 8299+ | GINERR | | |
| | | | | 8300 | GINERR | | |
| | | | | 8301+ | GINERR | | |
| | | | | 8302+ | GINERR | | |

| NAVAL POSTGRADUATE SCHOOL | | | STUDENT OPERATING SYSTEM | | *** GRADER *** | |
|---------------------------|-------------------|-------------|--------------------------|------------------|----------------|--------------------|
| LDC | OBJECT CODE | ADDR1 ADDR2 | STMT | SOURCE STATEMENT | | |
| 017034 | C00C0000 | | 3303+ | DC | V(GINIT2) | DEFINE ENTRY POINT |
| 017035 | C00C0000 | | 3304+ | DC | V(GINIT3) | DEFINE ENTRY POINT |
| 017036 | C00C0000 | | 3305+ | DC | V(GINIT4) | DEFINE ENTRY POINT |
| 017037 | C00C0000 | | 3306+ | DC | V(GINIT5) | DEFINE ENTRY POINT |
| 017038 | C00C0000 | | 3307+ | DC | V(GINIT6) | DEFINE ENTRY POINT |
| 017039 | C00C0000 | | 3308+ | DC | V(GINIT7) | DEFINE ENTRY POINT |
| 017040 | C00C0000 | | 3309+ | DC | V(GINIT8) | DEFINE ENTRY POINT |
| 017041 | C00C0000 | | 3310+ | DC | V(GINIT9) | DEFINE ENTRY POINT |
| 017054 | C00C0000 | | 3311+ | DC | V(GINIT10) | DEFINE ENTRY POINT |
| 017055 | C00C0000 | | 3312+ | DC | V(GINIT11) | DEFINE ENTRY POINT |
| | | | | | | |
| 017056 | C709D6C24840F14C | | 3314 | INITNM | CL8,PROB. 1, | |
| 017064 | C709D6C24840F24C | | 3315 | | CL8,PROB. 2, | |
| 017065 | C709D6C24840F34C | | 3316 | | CL8,PROB. 3, | |
| 017074 | C709D6C24840F44C | | 3317 | | CL8,PROB. 4, | |
| 017075 | C709D6C24840F54C | | 3318 | | CL8,PROB. 5, | |
| 017084 | C709D6C24840F64C | | 3319 | | CL8,PROB. 6, | |
| 017085 | C709D6C24840F74C | | 3320 | | CL8,PROB. 7, | |
| 017086 | C709D6C24840F84C | | 3321 | | CL8,PROB. 8, | |
| 017090 | C709D6C24840F94C | | 3322 | | CL8,PROB. 9, | |
| 0170A4 | C709D6C240F1F14C | | 3323 | | CL8,PROB. 10, | |
| 0170B4 | C709D6C240F1F24C | | 3324 | | CL8,PROB. 11, | |
| 0170C0 | | | 3325 | PROGSAVE | CL8,PROB. 12, | |
| 0170C1 | | | 3326 | SAVE214 | | |
| 0170C2 | | | 3327 | PROGSAVE | | |
| 0170C8 | | | 3328 | LITRG | | |
| 0170C9 | | | 3329 | | | |
| 0170CC | C00171AC | | 3330 | | =A(GMAIN) | |
| 0170CC | C00C2258 | | 3331 | | =A(SCSPRINT) | |
| 0170D0 | C0404040 | | 3332 | | =CL4, | |
| 0170D4 | C0016EE4 | | 3333 | | =A(SAVE14) | |
| 0170D8 | C00C | | 3334 | | =H,0, | |
| 0170D8 | C00H | | 3335 | | =H,1, | |
| 0170D8 | C0405C4040404C | | 3336 | | =CL34, | |
| 0170EF | 1F02 | | 3337 | | =X,1F02, | |
| 01710C | 1C02 | | 3338 | | =X,1C02, | |
| 017102 | C1C2 | | 3339 | | =X,0102, | |
| 017104 | C0405C5C0C1C20506 | | 3340 | | =CL18, | |
| 017114 | C502 | | 3341 | | =X,0F02, | |
| 017118 | C502 | | 3342 | | =H,5, | |
| 01711A | C502 | | 3343 | | =X,0F02, | |
| 01711C | C0405C5C0C0C0C53 | | 3344 | | =CL32, | |
| 01711F | 4EC2 | | 3345 | | .COPRECT | |
| 017170 | C0405C5C0C0C5F3 | | 3346 | | =X,4F02, | |
| 01717F | C0405C5C0C255C34C | | 3347 | | =CL31, | |
| | | | | | =CL17, | |

INITIALIZATION REGUN***

ABNORMAL END

***INITIALIZER ROUTINE SPECIFIED IS NOT AVAILABLE X
YOUR PROGRAM NIMREP.***

***INITIALIZATION SUCCESSFUL**

SVC UNKNOWN

| LCC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE | STATEMENT |
|--------|-------------|------------|-------|---------------|--------|----------------------------------------------------------|
| 017220 | 4110 C9F6 | C704 C000C | 17856 | 8408 NODATA1 | GPRT | 95,52,02,1 **FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA |
| 017230 | C201 1000 | | 17874 | 8409+ NODATA1 | LA | A NOT SUBSTITUTED. ROUTINE CONTINUED.** |
| 017236 | 58FC C738 | | 178DF | 8410+ | MVC | 1,=CL86, **FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 01723A | C5EF | | 17576 | 8411+ | L | NOT SUBSTITUTED. ROUTINE CONTINUED.** |
| 01723C | 47FC C3F5 | | | 8412+ | BALR | 0(2,1)=X,5302, |
| | | | | 8413 | R | 15,=A(SOSPPINT) |
| | | | | | | 14,15 |
| | | | | | | OUT |
| 017240 | 45E0 C432 | C614 000C4 | 175D2 | 8415 INTANS2 | BAL | 14,GETANS |
| 01724A | C503 9004 | | 17784 | 8416 | CLC | ANS3,STUANS |
| 01724A | 4770 C0C2 | | 17262 | 8417 | RNE | ERR3 |
| | | | | 8418 | GPRT | 40,25,01, **SECOND INTERMEDIATE ANSWER CORRECT** |
| 01724F | 4110 C6E8 | | 17888 | 8419+ | LA | 1,=CL40, **SECOND INTERMEDIATE ANSWER CORRECT** |
| 017252 | C201 1000 | | 17976 | 8420+ | MVC | 0(2,1)=X,2501, |
| 01725A | 58FC C738 | | 17808 | 8421+ | L | 15,=A(SOSPPINT) |
| 01725C | C5EF | | | 8422+ | BALR | 14,15 |
| 01725E | 47FC C400 | | 175AC | 8423 | R | MACHGRD |
| 017262 | 5108 4005 | 00005 | | 8425 FRR3 | TM | GC8+1,X'09, |
| 017266 | 4780 C0C8 | | 17278 | 8426 | RE | ERR31 |
| 01726A | 4110 90A8 | | 000A8 | 8427 | LA | 1,IMESS2 |
| 01726F | 1211 C0D8 | | 17278 | 8428 | LTR | 1,1 |
| 017270 | 4780 C0D8 | | 0225E | 8429 | RE | ERR31 |
| 01727A | 45F0 D158 | | | 8430 | BAL | 14,SOSPPINT |
| 017278 | 5104 4005 | 00005 | 1729A | 8432 FRR31 | TM | GC8+1,X'04, |
| 01727C | 4780 C0FA | | | 8433 | RE | NCDATA2 |
| | | | | 8434 | GPRT | A2,4F,01, **SECOND INTERMEDIATE ANSWER NOT CORRECT. DAX |
| | | | | 9435+ | LA | TA SUBSTITUTED. ROUTINE CONTINUED.** |
| 017280 | 411C C7D8 | C82A C000C | 17978 | 8436+ | MVC | 1,=CL82, **SECOND INTERMEDIATE ANSWER NOT CORRECT. DATA |
| 01728A | C201 1000 | | 175CA | 8437+ | L | 0(2,1)=X,4F01, |
| 01728A | 58FC C738 | | 17808 | 8438+ | BALR | 15,=A(SOSPPINT) |
| 01728E | C5EF | | | 8439 | R | 14,15 |
| 017290 | F203 6000 | 9004 0000C | 00004 | 8440 | MVC | 0(4,6),ANS2 |
| 017296 | 47FC C3C6 | | 17576 | 8442 NODATA2 | GPRT | OUT |
| | | | | 8443+ NODATA2 | LA | 96,53,02,1 **SECOND INTERMEDIATE ANSWER NOT CORRECT. DAX |
| 01729A | 4110 C82C | CP82 C000C | 179CC | 8444+ | MVC | TA NOT SUBSTITUTED. ROUTINE CONTINUED.** |
| 01729F | C201 1000 | | 17A22 | 8445+ | L | 1,=CL86, **SECOND INTERMEDIATE ANSWER NOT CORRECT. DATA |
| 0172A4 | 58FC C738 | | 178DF | 8446+ | BALR | 0(2,1)=X,5302, |
| 0172A8 | C5EF | | | 8447 | R | 15,=A(SOSPPINT) |
| 0172AA | 47FC C3C6 | | 17576 | | | 14,15 |
| | | | | | | OUT |
| 0172AE | 45E0 C432 | C614 000C8 | 175D2 | 8449 INTANS3 | BAL | 14,GETANS |
| 0172B2 | 0503 9008 | | 17784 | 8450 | CLC | ANS3,STUANS |
| 0172B8 | 4770 C130 | | 172DC | 8451 | RNE | ERR4 |
| | | | | 8452 | GPRT | 30,24,01, **THIRD INTERMEDIATE ANSWER CORRECT** |
| 0172BC | 4110 C4A8 | | 179F8 | 8453+ | LA | 1,=CL39, **THIRD INTERMEDIATE ANSWER CORRECT** |
| 0172C0 | C201 1000 | | 1757C | 8454+ | MVC | 0(2,1)=X,2401, |
| 0172C6 | 58FC C738 | | 17808 | 8455+ | L | 15,=A(SOSPPINT) |
| 0172CA | C5EF | | | 8456+ | BALR | 14,15 |
| 0172CC | 47FC C400 | | 175A0 | 8457 | R | MACHGRD |
| 0172DC | 5109 4005 | 00005 | | 8459 FPR4 | TM | GC8+1,X'09, |
| | | | | | | DOES INSTRUCTOR HAVE ANYTHING TO SAY? |

| LOC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE | STATEMENT | |
|--------|-------------|------------|-------|------|--------|-----------------|--------------------------------------------------|
| 0172D4 | 478C 9146 | | 172EF | 9450 | RE | ERR41 | IF NOT, SEE WHAT INSTRUCTOR WANTS NEXT |
| 0172D8 | 411C 912F | | 0012F | 9451 | LA | 1,1,IMFSS3 | OBTAIN ADDRESS OF INSTRUCTOR'S MESSAGE |
| 0172DC | 1211 9146 | | 172EF | 9452 | LTR | 1,1,1 | IS MESSAGE DEFINED? |
| 0172DE | 478C 9158 | | 0225F | 9453 | RE | ERR41 | IF NOT, NOOP |
| 0172E6 | 5104 40C5 | 00005 | 1730P | 9454 | BAL | 14,SQSPRINT | PRINT INSTRUCTOR'S MESSAGE TO STUDENT |
| 0172EA | 478C 9168 | | | 9455 | TM | GCR+1,X'04' | DOES INSTRUCTOR WANT DATA SUBSTITUTED? |
| 0172F2 | 4110 CA72 | C7D2 C0000 | 17C12 | 9456 | GPRT | NODATA3 | IF NOT, BRANCH |
| 0172F8 | C201 1000 | | 17972 | 9457 | GPRT | 1,4,4E,01' | **THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 0172FC | C5EF C738 | | 178DE | 9458 | LA | 1,4,4E,01' | A SUBSTITUTED. ROUTINE CONTINUED.** |
| 0172FE | C203 6000 | 9009 C0C00 | 00CCF | 9459 | MVC | 1,4,4E,01' | **THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 017304 | 478C 9168 | | 17576 | 9460 | BALR | 012,11)=X'2F01' | ROUTINE CONTINUED.** |
| 017308 | 4110 CAC3 | C7D4 C0C00 | 17C63 | 9461 | MVC | 1,4,4E,01' | A SUBSTITUTED. ROUTINE CONTINUED.** |
| 01730C | C201 1000 | | 17574 | 9462 | L | 15,=A(SQSPRINT) | |
| 017312 | C5EF C738 | | 178DE | 9463 | BALR | 012,11)=X'2F01' | |
| 017316 | C5EF C738 | | 178DE | 9464 | R | 14,15 | |
| 017318 | 478C 9168 | | 17576 | 9465 | GPRT | 1,4,4E,01' | GIVE THE STUDENT THE CORRECT ANSWER |
| 01731C | 45E0 900C | | 17576 | 9466 | GPRT | 1,4,4E,01' | LET'S GO SEE WHAT THE STUDENT IS DOING |
| 017320 | 477C C19E | | 1733E | 9467 | LA | 1,4,4E,01' | A NOT SUBSTITUTED. ROUTINE CONTINUED.** |
| 017324 | 4110 C710 | C7D6 C0000 | 178RC | 9468 | MVC | 1,4,4E,01' | **THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 017328 | C201 1000 | | 17576 | 9469 | L | 15,=A(SQSPRINT) | |
| 017332 | C5EF C738 | | 178DE | 9470 | BALP | 012,11)=X'2F01' | |
| 017336 | C5EF C738 | | 178DE | 9471 | R | 14,15 | |
| 01733A | 478C 9168 | | 17576 | 9472 | GPRT | 1,4,4E,01' | GIVE THE STUDENT THE CORRECT ANSWER |
| 01733E | 5108 4005 | 00005 | 17354 | 9473 | TM | GCR+1,X'04' | DOES INSTRUCTOR WANT DATA SUBSTITUTED? |
| 017342 | 478C 9184 | | 00184 | 9474 | RE | ERR51 | IF NOT, BRANCH |
| 017346 | 4110 9184 | | 17354 | 9475 | LA | 1,1,IMFSS4 | DOES INSTRUCTOR HAVE ANYTHING TO SAY? |
| 01734A | 1211 C184 | | 17354 | 9476 | LTR | 1,1,1 | IF NOT, SEE WHAT INSTRUCTOR WANTS NEXT |
| 01734C | 478C 9158 | | 0225F | 9477 | RE | ERR51 | OBTAIN ADDRESS OF INSTRUCTOR'S MESSAGE |
| 017350 | 45E0 9158 | | 0225F | 9478 | BAL | 14,SQSPRINT | IS MESSAGE DEFINED? |
| 017354 | 5104 40C5 | 00005 | 17376 | 9479 | TM | GCR+1,X'04' | IF NOT, NOOP |
| 017358 | 478C 9168 | | 17376 | 9480 | GPRT | 1,4,4E,01' | PRINT INSTRUCTOR'S MESSAGE TO STUDENT |
| 01735C | 4110 C884 | C92A C0000 | 17A24 | 9481 | LA | 1,4,4E,01' | DOES INSTRUCTOR WANT DATA SUBSTITUTED? |
| 017360 | C201 1000 | | 17972 | 9482 | GPRT | 1,4,4E,01' | IF NOT, BRANCH |
| 017364 | C5EF C738 | | 178DE | 9483 | LA | 1,4,4E,01' | **FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 017368 | C5EF C738 | | 178DE | 9484 | MVC | 1,4,4E,01' | A SUBSTITUTED. ROUTINE CONTINUED.** |
| 017372 | 478C 9168 | | 17576 | 9485 | BALP | 012,11)=X'2F01' | **FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 017376 | 478C 9168 | | 17576 | 9486 | MVC | 1,4,4E,01' | ROUTINE CONTINUED.** |
| 01737A | 478C 9168 | | 17576 | 9487 | B | 014,6)=ANS4 | |
| 01737E | 478C 9168 | | 17576 | 9488 | GPRT | 1,4,4E,01' | GIVE THE STUDENT THE CORRECT ANSWER |
| 017382 | 478C 9168 | | 17576 | 9489 | GPRT | 1,4,4E,01' | LET'S GO SEE WHAT THE STUDENT IS DOING |
| 017386 | 478C 9168 | | 17576 | 9490 | LA | 1,4,4E,01' | A NOT SUBSTITUTED. ROUTINE CONTINUED.** |
| 01738A | 478C 9168 | | 17576 | 9491 | LA | 1,4,4E,01' | **FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA X |
| 01738E | 478C 9168 | | 17576 | 9492 | LA | 1,4,4E,01' | ROUTINE CONTINUED.** |
| 017392 | 478C 9168 | | 17576 | 9493 | LA | 1,4,4E,01' | |
| 017396 | 478C 9168 | | 17576 | 9494 | LA | 1,4,4E,01' | |
| 01739A | 478C 9168 | | 17576 | 9495 | LA | 1,4,4E,01' | |
| 01739E | 478C 9168 | | 17576 | 9496 | LA | 1,4,4E,01' | |
| 0173A2 | 478C 9168 | | 17576 | 9497 | LA | 1,4,4E,01' | |
| 0173A6 | 478C 9168 | | 17576 | 9498 | LA | 1,4,4E,01' | |
| 0173AA | 478C 9168 | | 17576 | 9499 | LA | 1,4,4E,01' | |
| 0173AE | 478C 9168 | | 17576 | 9500 | LA | 1,4,4E,01' | |
| 0173B2 | 478C 9168 | | 17576 | 9501 | LA | 1,4,4E,01' | |
| 0173B6 | 478C 9168 | | 17576 | 9502 | LA | 1,4,4E,01' | |
| 0173BA | 478C 9168 | | 17576 | 9503 | LA | 1,4,4E,01' | |
| 0173BE | 478C 9168 | | 17576 | 9504 | LA | 1,4,4E,01' | |
| 0173C2 | 478C 9168 | | 17576 | 9505 | LA | 1,4,4E,01' | |
| 0173C6 | 478C 9168 | | 17576 | 9506 | LA | 1,4,4E,01' | |
| 0173CA | 478C 9168 | | 17576 | 9507 | LA | 1,4,4E,01' | |
| 0173CE | 478C 9168 | | 17576 | 9508 | LA | 1,4,4E,01' | |
| 0173D2 | 478C 9168 | | 17576 | 9509 | LA | 1,4,4E,01' | |
| 0173D6 | 478C 9168 | | 17576 | 9510 | LA | 1,4,4E,01' | |
| 0173DA | 478C 9168 | | 17576 | 9511 | LA | 1,4,4E,01' | |
| 0173DE | 478C 9168 | | 17576 | 9512 | LA | 1,4,4E,01' | |
| 0173E2 | 478C 9168 | | 17576 | 9513 | LA | 1,4,4E,01' | |
| 0173E6 | 478C 9168 | | 17576 | 9514 | LA | 1,4,4E,01' | |
| 0173EA | 478C 9168 | | 17576 | 9515 | LA | 1,4,4E,01' | |
| 0173EE | 478C 9168 | | 17576 | 9516 | LA | 1,4,4E,01' | |
| 0173F2 | 478C 9168 | | 17576 | 9517 | LA | 1,4,4E,01' | |
| 0173F6 | 478C 9168 | | 17576 | 9518 | LA | 1,4,4E,01' | |
| 0173FA | 478C 9168 | | 17576 | 9519 | LA | 1,4,4E,01' | |
| 0173FE | 478C 9168 | | 17576 | 9520 | LA | 1,4,4E,01' | |
| 017300 | 478C 9168 | | 17576 | 9521 | LA | 1,4,4E,01' | |
| 017304 | 478C 9168 | | 17576 | 9522 | LA | 1,4,4E,01' | |
| 017308 | 478C 9168 | | 17576 | 9523 | LA | 1,4,4E,01' | |
| 01730C | 478C 9168 | | 17576 | 9524 | LA | 1,4,4E,01' | |
| 01730E | 478C 9168 | | 17576 | 9525 | LA | 1,4,4E,01' | |
| 017310 | 478C 9168 | | 17576 | 9526 | LA | 1,4,4E,01' | |
| 017314 | 478C 9168 | | 17576 | 9527 | LA | 1,4,4E,01' | |
| 017318 | 478C 9168 | | 17576 | 9528 | LA | 1,4,4E,01' | |
| 01731C | 478C 9168 | | 17576 | 9529 | LA | 1,4,4E,01' | |
| 01731E | 478C 9168 | | 17576 | 9530 | LA | 1,4,4E,01' | |
| 017322 | 478C 9168 | | 17576 | 9531 | LA | 1,4,4E,01' | |
| 017326 | 478C 9168 | | 17576 | 9532 | LA | 1,4,4E,01' | |
| 01732A | 478C 9168 | | 17576 | 9533 | LA | 1,4,4E,01' | |
| 01732E | 478C 9168 | | 17576 | 9534 | LA | 1,4,4E,01' | |
| 017332 | 478C 9168 | | 17576 | 9535 | LA | 1,4,4E,01' | |
| 017336 | 478C 9168 | | 17576 | 9536 | LA | 1,4,4E,01' | |
| 01733A | 478C 9168 | | 17576 | 9537 | LA | 1,4,4E,01' | |
| 01733E | 478C 9168 | | 17576 | 9538 | LA | 1,4,4E,01' | |
| 017342 | 478C 9168 | | 17576 | 9539 | LA | 1,4,4E,01' | |
| 017346 | 478C 9168 | | 17576 | 9540 | LA | 1,4,4E,01' | |
| 01734A | 478C 9168 | | 17576 | 9541 | LA | 1,4,4E,01' | |
| 01734E | 478C 9168 | | 17576 | 9542 | LA | 1,4,4E,01' | |
| 017352 | 478C 9168 | | 17576 | 9543 | LA | 1,4,4E,01' | |
| 017356 | 478C 9168 | | 17576 | 9544 | LA | 1,4,4E,01' | |
| 01735A | 478C 9168 | | 17576 | 9545 | LA | 1,4,4E,01' | |
| 01735E | 478C 9168 | | 17576 | 9546 | LA | 1,4,4E,01' | |
| 017362 | 478C 9168 | | 17576 | 9547 | LA | 1,4,4E,01' | |
| 017366 | 478C 9168 | | 17576 | 9548 | LA | 1,4,4E,01' | |
| 01736A | 478C 9168 | | 17576 | 9549 | LA | 1,4,4E,01' | |
| 01736E | 478C 9168 | | 17576 | 9550 | LA | 1,4,4E,01' | |
| 017372 | 478C 9168 | | 17576 | 9551 | LA | 1,4,4E,01' | |
| 017376 | 478C 9168 | | 17576 | 9552 | LA | 1,4,4E,01' | |
| 01737A | 478C 9168 | | 17576 | 9553 | LA | 1,4,4E,01' | |
| 01737E | 478C 9168 | | 17576 | 9554 | LA | 1,4,4E,01' | |
| 017382 | 478C 9168 | | 17576 | 9555 | LA | 1,4,4E,01' | |
| 017386 | 478C 9168 | | 17576 | 9556 | LA | 1,4,4E,01' | |
| 01738A | 478C 9168 | | 17576 | 9557 | LA | 1,4,4E,01' | |
| 01738E | 478C 9168 | | 17576 | 9558 | LA | 1,4,4E,01' | |
| 017392 | 478C 9168 | | 17576 | 9559 | LA | 1,4,4E,01' | |
| 017396 | 478C 9168 | | 17576 | 9560 | LA | 1,4,4E,01' | |
| 01739A | 478C 9168 | | 17576 | 9561 | LA | 1,4,4E,01' | |
| 01739E | 478C 9168 | | 17576 | 9562 | LA | 1,4,4E,01' | |
| 0173A2 | 478C 9168 | | 17576 | 9563 | LA | 1,4,4E,01' | |
| 0173A6 | 478C 9168 | | 17576 | 9564 | LA | 1,4,4E,01' | |
| 0173AA | 478C 9168 | | 17576 | 9565 | LA | 1,4,4E,01' | |
| 0173AE | 478C 9168 | | 17576 | 9566 | LA | 1,4,4E,01' | |
| 0173B2 | 478C 9168 | | 17576 | 9567 | LA | 1,4,4E,01' | |
| 0173B6 | 478C 9168 | | 17576 | 9568 | LA | 1,4,4E,01' | |
| 0173BA | 478C 9168 | | 17576 | 9569 | LA | 1,4,4E,01' | |
| 0173BE | 478C 9168 | | 17576 | 9570 | LA | 1,4,4E,01' | |
| 0173C2 | 478C 9168 | | 17576 | 9571 | LA | 1,4,4E,01' | |
| 0173C6 | 478C 9168 | | 17576 | 9572 | LA | 1,4,4E,01' | |
| 0173CA | 478C 9168 | | 17576 | 9573 | LA | 1,4,4E,01' | |
| 0173CE | 478C 9168 | | 17576 | 9574 | LA | 1,4,4E,01' | |
| 0173D2 | 478C 9168 | | 17576 | 9575 | LA | 1,4,4E,01' | |
| 0173D6 | 478C 9168 | | 17576 | 9576 | LA | 1,4,4E,01' | |
| 0173DA | 478C 9168 | | 17576 | 9577 | LA | 1,4,4E,01' | |
| 0173DE | 478C 9168 | | 17576 | 9578 | LA | 1,4,4E,01' | |
| 0173E2 | 478C 9168 | | 17576 | 9579 | LA | 1,4,4E,01' | |
| 0173E6 | 478C 9168 | | 17576 | 9580 | LA | 1,4,4E,01' | |
| 0173EA | 478C 9168 | | 17576 | 9581 | LA | 1,4,4E,01' | |
| 0173EE | 478C 9168 | | 17576 | 9582 | LA | 1,4,4E,01' | |
| 0173F2 | 478C 9168 | | 17576 | 9583 | LA | 1,4,4E,01' | |
| 0173F6 | 478C 9168 | | 17576 | 9584 | LA | 1,4,4E,01' | |
| 0173FA | 478C 9168 | | 17576 | 9585 | LA | 1,4,4E,01' | |
| 0173FE | 478C 9168 | | 17576 | 9586 | LA | 1,4,4E,01 | |

| LOC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE STATEMENT |
|--------|-------------|-------|-------|-----------|--------------------|
| 017574 | 4110 C7C4 | C94E | CC00C | 8580 CUT | GPRT 4,01,02, , |
| 017576 | 2201 1000 | | | 8491 +OUT | LA 1,=CL4, , |
| 017580 | 58E0 C738 | | | 9482+ | LA 15,=A(SOSPRINT) |
| 017584 | 55EF | | | 9483+ | L 14,15 |
| 017586 | 4110 C7C4 | C94E | CC00C | 9585 | GPRT 4,01,02, , |
| 017588 | 58E0 C738 | | | 9686+ | LA 1,=CL4, , |
| 017590 | 58E0 C738 | | | 9687+ | LA 15,=A(SOSPRINT) |
| 017592 | 58E0 C738 | | | 9688+ | L 14,15 |
| 017594 | 58E0 C738 | | | 9689+ | GPRT 4,01,02, , |
| 017596 | 58E0 C738 | | | 9690 | LA 1,=CL4, , |
| 017598 | 58E0 C738 | | | 9691 | LA 15,=A(SOSPRINT) |
| 017599 | 58E0 C738 | | | 9692 | L 14,15 |
| 01759A | 58E0 C738 | | | | GPRT 4,01,02, , |
| 01759B | 58E0 C738 | | | | LA 1,=CL4, , |
| 01759C | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 01759D | 58E0 C738 | | | | L 14,15 |
| 01759E | 58E0 C738 | | | | GPRT 4,01,02, , |
| 01759F | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175A0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175A1 | 58E0 C738 | | | | L 14,15 |
| 0175A2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175A3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175A4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175A5 | 58E0 C738 | | | | L 14,15 |
| 0175A6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175A7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175A8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175A9 | 58E0 C738 | | | | L 14,15 |
| 0175AA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175AB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175AC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175AD | 58E0 C738 | | | | L 14,15 |
| 0175AE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175AF | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175B0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175B1 | 58E0 C738 | | | | L 14,15 |
| 0175B2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175B3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175B4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175B5 | 58E0 C738 | | | | L 14,15 |
| 0175B6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175B7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175B8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175B9 | 58E0 C738 | | | | L 14,15 |
| 0175BA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175BB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175BC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175BD | 58E0 C738 | | | | L 14,15 |
| 0175BE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175BF | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175C0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175C1 | 58E0 C738 | | | | L 14,15 |
| 0175C2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175C3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175C4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175C5 | 58E0 C738 | | | | L 14,15 |
| 0175C6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175C7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175C8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175C9 | 58E0 C738 | | | | L 14,15 |
| 0175CA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175CB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175CC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175CD | 58E0 C738 | | | | L 14,15 |
| 0175CE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175CF | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175D0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175D1 | 58E0 C738 | | | | L 14,15 |
| 0175D2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175D3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175D4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175D5 | 58E0 C738 | | | | L 14,15 |
| 0175D6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175D7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175D8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175D9 | 58E0 C738 | | | | L 14,15 |
| 0175DA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175DB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175DC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175DD | 58E0 C738 | | | | L 14,15 |
| 0175DE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175DF | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175E0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175E1 | 58E0 C738 | | | | L 14,15 |
| 0175E2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175E3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175E4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175E5 | 58E0 C738 | | | | L 14,15 |
| 0175E6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175E7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175E8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175E9 | 58E0 C738 | | | | L 14,15 |
| 0175EA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175EB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175EC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175ED | 58E0 C738 | | | | L 14,15 |
| 0175EE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175EF | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175F0 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175F1 | 58E0 C738 | | | | L 14,15 |
| 0175F2 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175F3 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175F4 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175F5 | 58E0 C738 | | | | L 14,15 |
| 0175F6 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175F7 | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175F8 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175F9 | 58E0 C738 | | | | L 14,15 |
| 0175FA | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175FB | 58E0 C738 | | | | LA 1,=CL4, , |
| 0175FC | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 0175FD | 58E0 C738 | | | | L 14,15 |
| 0175FE | 58E0 C738 | | | | GPRT 4,01,02, , |
| 0175FF | 58E0 C738 | | | | LA 1,=CL4, , |
| 017600 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017601 | 58E0 C738 | | | | L 14,15 |
| 017602 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017603 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017604 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017605 | 58E0 C738 | | | | L 14,15 |
| 017606 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017607 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017608 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017609 | 58E0 C738 | | | | L 14,15 |
| 01760A | 58E0 C738 | | | | GPRT 4,01,02, , |
| 01760B | 58E0 C738 | | | | LA 1,=CL4, , |
| 01760C | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 01760D | 58E0 C738 | | | | L 14,15 |
| 01760E | 58E0 C738 | | | | GPRT 4,01,02, , |
| 01760F | 58E0 C738 | | | | LA 1,=CL4, , |
| 017610 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017611 | 58E0 C738 | | | | L 14,15 |
| 017612 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017613 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017614 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017615 | 58E0 C738 | | | | L 14,15 |
| 017616 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017617 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017618 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017619 | 58E0 C738 | | | | L 14,15 |
| 017620 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017621 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017622 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017623 | 58E0 C738 | | | | L 14,15 |
| 017624 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017625 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017626 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017627 | 58E0 C738 | | | | L 14,15 |
| 017628 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017629 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017630 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017631 | 58E0 C738 | | | | L 14,15 |
| 017632 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017633 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017634 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017635 | 58E0 C738 | | | | L 14,15 |
| 017636 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017637 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017638 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017639 | 58E0 C738 | | | | L 14,15 |
| 017640 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017641 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017642 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017643 | 58E0 C738 | | | | L 14,15 |
| 017644 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017645 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017646 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017647 | 58E0 C738 | | | | L 14,15 |
| 017648 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017649 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017650 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017651 | 58E0 C738 | | | | L 14,15 |
| 017652 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017653 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017654 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017655 | 58E0 C738 | | | | L 14,15 |
| 017656 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017657 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017658 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017659 | 58E0 C738 | | | | L 14,15 |
| 017660 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017661 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017662 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017663 | 58E0 C738 | | | | L 14,15 |
| 017664 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017665 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017666 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017667 | 58E0 C738 | | | | L 14,15 |
| 017668 | 58E0 C738 | | | | GPRT 4,01,02, , |
| 017669 | 58E0 C738 | | | | LA 1,=CL4, , |
| 017670 | 58E0 C738 | | | | LA 15,=A(SOSPRINT) |
| 017671 | 58E0 C738 | | | | L 14,15 |
| 017672 | 58E0 C738 | | | | GPRT |

| LOC | PROJECT CODE | ADDRESS | STMT | SOURCE | STATEMENT | STUDENT OPERATING SYSTEM | *** GRADER *** |
|--------|----------------------------|---------|-------|---------|------------------------------------------------------------|--------------------------|---------------------------------------------|
| 01755F | 05EF | | 8740+ | | RALP 14,15 | | |
| 017600 | 47EF | 17576 | 8741 | | OUT | | |
| 017604 | 4110 | | 8742 | GERD4 | COPT 25,24,01, **INCORRECT NO. OF INT. ANSWERS SPECIFIED** | | |
| 017608 | 0201 | 0000 | 8743 | GERR4 | LA 1=C1451, **INCORRECT NO. OF INT. ANSWERS SPECIFIED** | | |
| 01760F | 08EF | | 8744 | | MVC 02,11)=X2A01, | | |
| 017612 | 05EF | | 8745 | | LA1P 15,A(SOSPEINT) | | |
| 017614 | 47EF | 17576 | 8747 | | OUT | | |
| 017616 | 47EF | | 8748 | GM1 | GMSS 1132, \$\$\$, (GP1,52,4),C=2 | | TOTAL MACHINE GRADE=X |
| 01761A | | | 8749+ | | CRG *+2 | | |
| 01761A | | | 8750 | GRM1M | CL132 | | |
| 01761A | | | 8751+ | | CRG *-2 | | |
| 01761A | P3 | | 8752 | GRM1 | AL1(131) | | |
| 017619 | C2 | | 8753+ | | DC XL1'2, | | |
| 01761A | | | 8754+ | | DC CL132, | | ***END OF GRADER RUN: TOTAL MACHINE GRADEX |
| 01761A | 4040404040404040 | | 8755+ | | = \$\$\$, | | |
| 01764C | | | 8756 | GP1 | GRM1M+52-1 | | |
| 01764C | | | 8757+ | | CL4 | | |
| 01769F | | | 8758 | GRM2 | GMSS 1132, ##\$, (GR2,47,4),C=2 | | ***ACCUMLATED INTERMEDIATE ANSWER CREDIT= X |
| 0176AC | | | 8759+ | | CRG *+2 | | |
| 0176AC | | | 8760 | GRM2M | CL132 | | |
| 01769F | | | 8761+ | | CRG *-2 | | |
| 01769F | P3 | | 8762 | GRM2 | AL1(131) | | |
| 01769F | C2 | | 8763+ | | DC XL1'2, | | |
| 0176AC | 4040404040404040 | | 8764+ | | DC CL132, | | ***ACCUMLATED INTERMEDIATE ANSWER CREDIT= X |
| 0176AC | | | 8765+ | | ##\$, | | |
| 0176CE | | | 8766 | GR2 | GRM2M+47-1 | | |
| 017724 | | | 8767+ | | CL4 | | |
| 017726 | | | 8768 | GRM3 | GMSS 1132, WITH BONUS POINTS= \$\$\$, (GR3,70,4),C=2 | | TOTAL MACHINE GRADE X |
| 017726 | | | 8769+ | | CRG *+2 | | |
| 017726 | | | 8770 | GRM3M | CL132 | | |
| 017724 | | | 8771+ | | CRG *-2 | | |
| 017724 | P3 | | 8772 | GRM3 | AL1(131) | | |
| 017725 | C2 | | 8773+ | | DC XL1'2, | | |
| 017726 | 4040404040404040 | | 8774+ | | DC CL132, | | ***ADDITIONAL CREDIT: TOTAL MACHINE GRADEX |
| 01776A | | | 8775+ | | WITH BONUS POINTS= \$\$\$, | | |
| 01776A | | | 8776 | GP3 | GRM3M+70-1 | | |
| 0177AA | | | 8777+ | | CL4 | | |
| 0177AA | 000C | | 8779 | SUM | | | |
| 0177AC | 00000000 | | 8780 | SUM1 | | | |
| 0177AC | 00000000 | | 8781 | STUANS | | | |
| 0177AA | | | 8782 | WCRKWRN | | | |
| 0177C0 | 00000000 | | 8783 | CREDIT | | | |
| 0177C0 | 00000000 | | 8784 | ICREDIT | | | |
| 0177C0 | 00000000 | | 8785 | XCREDIT | | | |
| 0177C0 | P3 | | 8786 | | | | |
| 0177C0 | C2 | | 8787 | | | | |
| 0177C0 | | | 8788 | GEND | | | |
| 017852 | F5C5C3C1D3E34CC | | 8789 | CHALT1 | | | |
| 017852 | C9D5E2E3D9E4C3E3 | | 8790 | CHALT2 | | | |
| 01787C | C200 C642 1000 177E2 C0CC0 | | 8791 | GMVC | | | |

| LOC | SUBJECT CODE | ADDR1 ADDR2 | STMT | SOURCE STATEMENT | STUDENT OPERATING SYSTEM | *** GRADER *** |
|--------|------------------|-------------|------|------------------|--------------------------|----------------|
| 01788P | | | | LTORG | | |
| 01788P | 40405C5CE2C5C306 | | 9792 | | | |
| 01788P | 40405C5CE2C5C306 | | 9793 | | | |
| 01788P | 40405C5CE2C5C306 | | 9794 | | | |
| 01788P | 40405C5CE2C5C306 | | 9795 | | | |
| 01788P | 40405C5CE2C5C306 | | 9796 | | | |
| 01788P | 40405C5CE2C5C306 | | 9797 | | | |
| 01788P | 40405C5CE2C5C306 | | 9798 | | | |
| 01788P | 40405C5CE2C5C306 | | 9799 | | | |
| 01788P | 40405C5CE2C5C306 | | 9800 | | | |
| 01788P | 40405C5CE2C5C306 | | 9801 | | | |
| 01788P | 40405C5CE2C5C306 | | 9802 | | | |
| 01788P | 40405C5CE2C5C306 | | 9803 | | | |
| 01788P | 40405C5CE2C5C306 | | 9804 | | | |
| 01788P | 40405C5CE2C5C306 | | 9805 | | | |
| 01788P | 40405C5CE2C5C306 | | 9806 | | | |
| 01788P | 40405C5CE2C5C306 | | 9807 | | | |
| 01788P | 40405C5CE2C5C306 | | 9808 | | | |
| 01788P | 40405C5CE2C5C306 | | 9809 | | | |
| 01788P | 40405C5CE2C5C306 | | 9810 | | | |
| 01788P | 40405C5CE2C5C306 | | 9811 | | | |
| 01788P | 40405C5CE2C5C306 | | 9812 | | | |
| 01788P | 40405C5CE2C5C306 | | 9813 | | | |
| 01788P | 40405C5CE2C5C306 | | 9814 | | | |
| 01788P | 40405C5CE2C5C306 | | 9815 | | | |
| 01788P | 40405C5CE2C5C306 | | 9816 | | | |
| 01788P | 40405C5CE2C5C306 | | 9817 | | | |
| 01788P | 40405C5CE2C5C306 | | 9818 | | | |
| 01788P | 40405C5CE2C5C306 | | 9819 | | | |
| 01788P | 40405C5CE2C5C306 | | 9820 | | | |
| 01788P | 40405C5CE2C5C306 | | 9821 | | | |
| 01788P | 40405C5CE2C5C306 | | 9822 | | | |
| 01788P | 40405C5CE2C5C306 | | 9823 | | | |
| 01788P | 40405C5CE2C5C306 | | 9824 | | | |
| 01788P | 40405C5CE2C5C306 | | 9825 | | | |
| 01788P | 40405C5CE2C5C306 | | 9826 | | | |
| 01788P | 40405C5CE2C5C306 | | 9827 | | | |
| 01788P | 40405C5CE2C5C306 | | 9828 | | | |
| 01788P | 40405C5CE2C5C306 | | 9829 | | | |
| 01788P | 40405C5CE2C5C306 | | 9830 | | | |
| 01788P | 40405C5CE2C5C306 | | 9831 | | | |
| 01788P | 40405C5CE2C5C306 | | 9832 | | | |
| 01788P | 40405C5CE2C5C306 | | 9833 | | | |
| 01788P | 40405C5CE2C5C306 | | 9834 | | | |
| 01788P | 40405C5CE2C5C306 | | 9835 | | | |

| LOC | OBJECT CODE | ADDR1 ADDR2 | STMT | SUBJECT | STATEMENT |
|--------|-------------|-------------|------|----------|-----------|
| 000000 | | | 0000 | INITIALS | ***** |
| 000001 | | | 0001 | ANS1 | ***** |
| 000002 | | | 0002 | ANS2 | ***** |
| 000003 | | | 0003 | ANS3 | ***** |
| 000004 | | | 0004 | ANS4 | ***** |
| 000005 | | | 0005 | ANS5 | ***** |
| 000006 | | | 0006 | ANS6 | ***** |
| 000007 | | | 0007 | ANS7 | ***** |
| 000008 | | | 0008 | ANS8 | ***** |
| 000009 | | | 0009 | ANS9 | ***** |
| 000010 | | | 0010 | ANS10 | ***** |
| 000011 | | | 0011 | ANS11 | ***** |
| 000012 | | | 0012 | ANS12 | ***** |
| 000013 | | | 0013 | ANS13 | ***** |
| 000014 | | | 0014 | ANS14 | ***** |
| 000015 | | | 0015 | ANS15 | ***** |
| 000016 | | | 0016 | ANS16 | ***** |
| 000017 | | | 0017 | ANS17 | ***** |
| 000018 | | | 0018 | ANS18 | ***** |
| 000019 | | | 0019 | ANS19 | ***** |
| 000020 | | | 0020 | ANS20 | ***** |
| 000021 | | | 0021 | ANS21 | ***** |
| 000022 | | | 0022 | ANS22 | ***** |
| 000023 | | | 0023 | ANS23 | ***** |
| 000024 | | | 0024 | ANS24 | ***** |
| 000025 | | | 0025 | ANS25 | ***** |
| 000026 | | | 0026 | ANS26 | ***** |
| 000027 | | | 0027 | ANS27 | ***** |
| 000028 | | | 0028 | ANS28 | ***** |
| 000029 | | | 0029 | ANS29 | ***** |
| 000030 | | | 0030 | ANS30 | ***** |
| 000031 | | | 0031 | ANS31 | ***** |
| 000032 | | | 0032 | ANS32 | ***** |
| 000033 | | | 0033 | ANS33 | ***** |
| 000034 | | | 0034 | ANS34 | ***** |
| 000035 | | | 0035 | ANS35 | ***** |
| 000036 | | | 0036 | ANS36 | ***** |
| 000037 | | | 0037 | ANS37 | ***** |
| 000038 | | | 0038 | ANS38 | ***** |
| 000039 | | | 0039 | ANS39 | ***** |
| 000040 | | | 0040 | ANS40 | ***** |
| 000041 | | | 0041 | ANS41 | ***** |
| 000042 | | | 0042 | ANS42 | ***** |
| 000043 | | | 0043 | ANS43 | ***** |
| 000044 | | | 0044 | ANS44 | ***** |
| 000045 | | | 0045 | ANS45 | ***** |
| 000046 | | | 0046 | ANS46 | ***** |
| 000047 | | | 0047 | ANS47 | ***** |
| 000048 | | | 0048 | ANS48 | ***** |
| 000049 | | | 0049 | ANS49 | ***** |
| 000050 | | | 0050 | ANS50 | ***** |
| 000051 | | | 0051 | ANS51 | ***** |
| 000052 | | | 0052 | ANS52 | ***** |
| 000053 | | | 0053 | ANS53 | ***** |
| 000054 | | | 0054 | ANS54 | ***** |
| 000055 | | | 0055 | ANS55 | ***** |
| 000056 | | | 0056 | ANS56 | ***** |
| 000057 | | | 0057 | ANS57 | ***** |
| 000058 | | | 0058 | ANS58 | ***** |
| 000059 | | | 0059 | ANS59 | ***** |
| 000060 | | | 0060 | ANS60 | ***** |
| 000061 | | | 0061 | ANS61 | ***** |
| 000062 | | | 0062 | ANS62 | ***** |
| 000063 | | | 0063 | ANS63 | ***** |
| 000064 | | | 0064 | ANS64 | ***** |
| 000065 | | | 0065 | ANS65 | ***** |
| 000066 | | | 0066 | ANS66 | ***** |
| 000067 | | | 0067 | ANS67 | ***** |
| 000068 | | | 0068 | ANS68 | ***** |
| 000069 | | | 0069 | ANS69 | ***** |
| 000070 | | | 0070 | ANS70 | ***** |
| 000071 | | | 0071 | ANS71 | ***** |
| 000072 | | | 0072 | ANS72 | ***** |
| 000073 | | | 0073 | ANS73 | ***** |
| 000074 | | | 0074 | ANS74 | ***** |
| 000075 | | | 0075 | ANS75 | ***** |
| 000076 | | | 0076 | ANS76 | ***** |
| 000077 | | | 0077 | ANS77 | ***** |
| 000078 | | | 0078 | ANS78 | ***** |
| 000079 | | | 0079 | ANS79 | ***** |
| 000080 | | | 0080 | ANS80 | ***** |
| 000081 | | | 0081 | ANS81 | ***** |
| 000082 | | | 0082 | ANS82 | ***** |
| 000083 | | | 0083 | ANS83 | ***** |
| 000084 | | | 0084 | ANS84 | ***** |
| 000085 | | | 0085 | ANS85 | ***** |
| 000086 | | | 0086 | ANS86 | ***** |
| 000087 | | | 0087 | ANS87 | ***** |
| 000088 | | | 0088 | ANS88 | ***** |
| 000089 | | | 0089 | ANS89 | ***** |
| 000090 | | | 0090 | ANS90 | ***** |
| 000091 | | | 0091 | ANS91 | ***** |
| 000092 | | | 0092 | ANS92 | ***** |
| 000093 | | | 0093 | ANS93 | ***** |
| 000094 | | | 0094 | ANS94 | ***** |
| 000095 | | | 0095 | ANS95 | ***** |
| 000096 | | | 0096 | ANS96 | ***** |
| 000097 | | | 0097 | ANS97 | ***** |
| 000098 | | | 0098 | ANS98 | ***** |
| 000099 | | | 0099 | ANS99 | ***** |
| 000100 | | | 0100 | ANS100 | ***** |
| 000101 | | | 0101 | ANS101 | ***** |
| 000102 | | | 0102 | ANS102 | ***** |
| 000103 | | | 0103 | ANS103 | ***** |
| 000104 | | | 0104 | ANS104 | ***** |
| 000105 | | | 0105 | ANS105 | ***** |
| 000106 | | | 0106 | ANS106 | ***** |
| 000107 | | | 0107 | ANS107 | ***** |
| 000108 | | | 0108 | ANS108 | ***** |
| 000109 | | | 0109 | ANS109 | ***** |
| 000110 | | | 0110 | ANS110 | ***** |
| 000111 | | | 0111 | ANS111 | ***** |
| 000112 | | | 0112 | ANS112 | ***** |
| 000113 | | | 0113 | ANS113 | ***** |
| 000114 | | | 0114 | ANS114 | ***** |
| 000115 | | | 0115 | ANS115 | ***** |
| 000116 | | | 0116 | ANS116 | ***** |
| 000117 | | | 0117 | ANS117 | ***** |
| 000118 | | | 0118 | ANS118 | ***** |
| 000119 | | | 0119 | ANS119 | ***** |
| 000120 | | | 0120 | ANS120 | ***** |
| 000121 | | | 0121 | ANS121 | ***** |
| 000122 | | | 0122 | ANS122 | ***** |
| 000123 | | | 0123 | ANS123 | ***** |
| 000124 | | | 0124 | ANS124 | ***** |
| 000125 | | | 0125 | ANS125 | ***** |
| 000126 | | | 0126 | ANS126 | ***** |
| 000127 | | | 0127 | ANS127 | ***** |
| 000128 | | | 0128 | ANS128 | ***** |
| 000129 | | | 0129 | ANS129 | ***** |
| 000130 | | | 0130 | ANS130 | ***** |
| 000131 | | | 0131 | ANS131 | ***** |
| 000132 | | | 0132 | ANS132 | ***** |
| 000133 | | | 0133 | ANS133 | ***** |
| 000134 | | | 0134 | ANS134 | ***** |
| 000135 | | | 0135 | ANS135 | ***** |
| 000136 | | | 0136 | ANS136 | ***** |
| 000137 | | | 0137 | ANS137 | ***** |
| 000138 | | | 0138 | ANS138 | ***** |
| 000139 | | | 0139 | ANS139 | ***** |
| 000140 | | | 0140 | ANS140 | ***** |
| 000141 | | | 0141 | ANS141 | ***** |
| 000142 | | | 0142 | ANS142 | ***** |
| 000143 | | | 0143 | ANS143 | ***** |
| 000144 | | | 0144 | ANS144 | ***** |
| 000145 | | | 0145 | ANS145 | ***** |
| 000146 | | | 0146 | ANS146 | ***** |
| 000147 | | | 0147 | ANS147 | ***** |
| 000148 | | | 0148 | ANS148 | ***** |
| 000149 | | | 0149 | ANS149 | ***** |
| 000150 | | | 0150 | ANS150 | ***** |
| 000151 | | | 0151 | ANS151 | ***** |
| 000152 | | | 0152 | ANS152 | ***** |
| 000153 | | | 0153 | ANS153 | ***** |
| 000154 | | | 0154 | ANS154 | ***** |
| 000155 | | | 0155 | ANS155 | ***** |
| 000156 | | | 0156 | ANS156 | ***** |
| 000157 | | | 0157 | ANS157 | ***** |
| 000158 | | | 0158 | ANS158 | ***** |
| 000159 | | | 0159 | ANS159 | ***** |
| 000160 | | | 0160 | ANS160 | ***** |
| 000161 | | | 0161 | ANS161 | ***** |
| 000162 | | | 0162 | ANS162 | ***** |
| 000163 | | | 0163 | ANS163 | ***** |
| 000164 | | | 0164 | ANS164 | ***** |
| 000165 | | | 0165 | ANS165 | ***** |
| 000166 | | | 0166 | ANS166 | ***** |
| 000167 | | | 0167 | ANS167 | ***** |
| 000168 | | | 0168 | ANS168 | ***** |
| 000169 | | | 0169 | ANS169 | ***** |
| 000170 | | | 0170 | ANS170 | ***** |
| 000171 | | | 0171 | ANS171 | ***** |
| 000172 | | | 0172 | ANS172 | ***** |
| 000173 | | | 0173 | ANS173 | ***** |
| 000174 | | | 0174 | ANS174 | ***** |
| 000175 | | | 0175 | ANS175 | ***** |
| 000176 | | | 0176 | ANS176 | ***** |
| 000177 | | | 0177 | ANS177 | ***** |
| 000178 | | | 0178 | ANS178 | ***** |
| 000179 | | | 0179 | ANS179 | ***** |
| 000180 | | | 0180 | ANS180 | ***** |
| 000181 | | | 0181 | ANS181 | ***** |
| 000182 | | | 0182 | ANS182 | ***** |
| 000183 | | | 0183 | ANS183 | ***** |
| 000184 | | | 0184 | ANS184 | ***** |
| 000185 | | | 0185 | ANS185 | ***** |
| 000186 | | | 0186 | ANS186 | ***** |
| 000187 | | | 0187 | ANS187 | ***** |
| 000188 | | | 0188 | ANS188 | ***** |
| 000189 | | | 0189 | ANS189 | ***** |
| 000190 | | | 0190 | ANS190 | ***** |
| 000191 | | | 0191 | ANS191 | ***** |
| 000192 | | | 0192 | ANS192 | ***** |
| 000193 | | | 0193 | ANS193 | ***** |
| 000194 | | | 0194 | ANS194 | ***** |
| 000195 | | | 0195 | ANS195 | ***** |
| 000196 | | | 0196 | ANS196 | ***** |
| 000197 | | | 0197 | ANS197 | ***** |
| 000198 | | | 0198 | ANS198 | ***** |
| 000199 | | | 0199 | ANS199 | ***** |
| 000200 | | | 0200 | ANS200 | ***** |
| 000201 | | | 0201 | ANS201 | ***** |
| 000202 | | | 0202 | ANS202 | ***** |
| 000203 | | | 0203 | ANS203 | ***** |
| 000204 | | | 0204 | ANS204 | ***** |
| 000205 | | | 0205 | ANS205 | ***** |
| 000206 | | | 0206 | ANS206 | ***** |
| 000207 | | | 0207 | ANS207 | ***** |
| 000208 | | | 0208 | ANS208 | ***** |
| 000209 | | | 0209 | ANS209 | ***** |
| 000210 | | | 0210 | ANS210 | ***** |
| 000211 | | | 0211 | ANS211 | ***** |
| 000212 | | | 0212 | ANS212 | ***** |
| 000213 | | | 0213 | ANS213 | ***** |
| 000214 | | | 0214 | ANS214 | ***** |
| 000215 | | | 0215 | ANS215 | ***** |
| 000216 | | | 0216 | ANS216 | ***** |
| 000217 | | | 0217 | ANS217 | ***** |
| 000218 | | | 0218 | ANS218 | ***** |
| 000219 | | | 0219 | ANS219 | ***** |
| 000220 | | | 0220 | ANS220 | ***** |
| 000221 | | | 0221 | ANS221 | ***** |
| 000222 | | | 0222 | ANS222 | ***** |
| 000223 | | | 0223 | ANS223 | ***** |
| 000224 | | | 0224 | ANS224 | ***** |
| 000225 | | | 0225 | ANS225 | ***** |
| 000226 | | | 0226 | ANS226 | ***** |
| 000227 | | | 0227 | ANS227 | ***** |
| 000228 | | | 0228 | ANS228 | ***** |
| 000229 | | | 0229 | ANS229 | ***** |
| 000230 | | | 0230 | ANS230 | ***** |
| 000231 | | | 0231 | ANS231 | ***** |
| 000232 | | | 0232 | ANS232 | ***** |
| 000233 | | | 0233 | ANS233 | ***** |
| 000234 | | | 0234 | ANS234 | ***** |
| 000235 | | | 0235 | ANS235 | ***** |
| 000236 | | | 0236 | ANS236 | ***** |
| 000237 | | | 0237 | ANS237 | ***** |
| 000238 | | | 0238 | ANS238 | ***** |
| 000239 | | | 0239 | ANS239 | ***** |
| 000240 | | | 0240 | ANS240 | ***** |
| 000241 | | | 0241 | ANS241 | ***** |
| 000242 | | | 0242 | ANS242 | ***** |
| 000243 | | | 0243 | ANS243 | ***** |
| 000244 | | | 0244 | ANS244 | ***** |
| 000245 | | | 0245 | ANS245 | ***** |
| 000246 | | | 0246 | ANS246 | ***** |
| 000247 | | | 0247 | ANS247 | ***** |
| 000248 | | | 0248 | ANS248 | ***** |
| 000249 | | | 0249 | ANS249 | ***** |
| 000250 | | | 0250 | ANS250 | ***** |
| 000251 | | | 0251 | ANS251 | ***** |
| 000252 | | | | | |

| LOC | PROJECT CODE | ADDR1 ADDR2 | STWT | SOURCE | STATEMENT |
|--------|----------------|-------------|-------|---------|-----------|
| 000239 | C1 | | 9955+ | DC | XLI'01' |
| 00023C | 404C404C404C4C | | 9956+ | DC | CL132' |
| 0002CC | | | 9957+ | DC | |
| | | | 9958+ | IMESSF | |
| | | | 9959+ | IMESSF | GMFSS |
| | | | 9960+ | IMESSFM | CL132' |
| | | | 9961+ | IMESSF | *+2 |
| | | | 9962+ | IMESSF | OC132 |
| | | | 9963+ | IMESSF | *-2 |
| | | | 9964+ | IMESSF | AL1(131) |
| | | | 9965+ | IMESSF | XLI'01' |
| | | | 9966+ | IMESSF | CL132' |
| | | | 9967+ | IMESSF | DC |
| | | | 9968+ | IMESSF | DC |
| | | | 9969+ | IMESSF | DC |
| | | | 9970+ | IMESSF | DC |
| | | | 9971+ | IMESSF | DC |
| | | | 9972+ | IMESSF | DC |
| | | | 9973+ | IMESSF | DC |
| | | | 9974+ | IMESSF | DC |
| | | | 9975+ | IMESSF | DC |
| | | | 9976+ | IMESSF | DC |
| | | | 9977+ | IMESSF | DC |
| | | | 9978+ | IMESSF | DC |
| | | | 9979+ | IMESSF | DC |
| | | | 9980+ | IMESSF | DC |
| | | | 9981+ | IMESSF | DC |
| | | | 9982+ | IMESSF | DC |
| | | | 9983+ | IMESSF | DC |
| | | | 9984+ | IMESSF | DC |
| | | | 9985+ | IMESSF | DC |
| | | | 9986+ | IMESSF | DC |
| | | | 9987+ | IMESSF | DC |
| | | | 9988+ | IMESSF | DC |
| | | | 9989+ | IMESSF | DC |
| | | | 9990+ | IMESSF | DC |
| | | | 9991+ | IMESSF | DC |
| | | | 9992+ | IMESSF | DC |
| | | | 9993+ | IMESSF | DC |
| | | | 9994+ | IMESSF | DC |
| | | | 9995+ | IMESSF | DC |
| | | | 9996+ | IMESSF | DC |
| | | | 9997+ | IMESSF | DC |
| | | | 9998+ | IMESSF | DC |
| | | | 9999+ | IMESSF | DC |


APPENDIX C

Flowchart Documentation of the Grader Program


The flowcharts which document the various sections of the Grader Program are the following:

| <u>Flowchart Number</u> | <u>Title</u> |
|-------------------------|-----------------------------------------------------|
| 1. | The Basic Grading Routine |
| 2. | Grader/SOS Interface and Grader Initialization |
| 3. | Intermediate Answer Grading Routine |
| 4. | Final answer Grading Routine |
| 5. | Routine for Accumulating Intermediate Answer Credit |
| 6. | Routine to Obtain Student's Answer |
| 7. | Translation and Printout of Machine Grade Routine |
| 8. | Return Routines |
| 9. | Total Machine Grade Routine (First Section) |
| 10. | Total Machine Grade Routine (Second Section) |
| 11. | Instructions Executed Routine |
| 12. | Structure of General Communications Section |


*** APPENDIX C -- CHART NUMBER 1 ***
 FLOW CHART OF THE BASIC GRADING ROUTINE




*** APPENDIX C -- CHART NUMBER 2 ***
 GRADER/SOS INTERFACE AND GRADER INITIALIZATION




*** APPENDIX C -- CHART NUMBER 3 ***
INTERMEDIATE ANSWER GRADING ROUTINE




*** APPENDIX C -- CHART NUMBER 4 ***
 FINAL ANSWER GRADING ROUTINE



*** APPENDIX C -- CHART NUMBER 5 ***
 ROUTINE FOR ACCUMULATING INTERMEDIATE ANSWER CREDIT




*** APPENDIX C -- CHART NUMBER 6 ***
ROUTINE TO OBTAIN STUDENT'S ANSWER




*** APPENDIX C -- CHART NUMBER 7 ***
 TRANSLATION AND PRINTOUT OF MACHINE GRADE ROUTINE

TRANS1,2,3




*** APPENDIX C -- CHART NUMBER 8 ***
RETURN ROUTINES

FINOUT1




OUT




2426174


*** APPENDIX C -- CHART NUMBER 9 ***
TOTAL MACHINE GRADE ROUTINE (FIRST SECTION)




*** APPENDIX C -- CHART NUMBER 10 ***
TOTAL MACHINE GRADE ROUTINE (SECOND SECTION)



*** APPENDIX C -- CHART NUMBER-11 ***
INSTRUCTIONS EXECUTED ROUTINE



*** APPENDIX C -- CHART NUMBER 12 ***
STRUCTURE OF GENERAL COMMUNICATIONS SECTION



APPENDIX D

Examples of Graded Programs

An example of a program with the grader off is first shown.

Examples of graded programs are then given.

NAME: BACONR20 JCBNAME: EXAMPL20 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SCS/360 25 MAY, 1969
BCCKKEEPING PHASE MAP CF OPTIONS

CONFIGURATION--1,
CORE ZERGED--YES,
DUMP REQUESTED--YES,
GRADER--NO,
IMAX NUM EXECUTABLE INSTRUCTIONS--SCSASUM(3),
IMAX NUM PRINTED LINES--SOSASUM(2),
IMAX NUM TRACED INSTRUCTIONS--SOSASUM(1),
OUTPUT HEADER--TRACE,
STATUS--STUDENT,
TRACE INITIALLY--ON,
WARNINGS PRINTED--YES,

1SCSASUM=(500,1000,2000)
2SCSMAX=(200,1000,10000)

* IF A MAN WILL BEGIN WITH CERTAINTIES *
* HE SHALL END IN DOUBTS: BUT IF HE *
* WILL BE CONTENT TO BEGIN WITH DOUBTS *
* HE SHALL END IN CERTAINTIES. *
* -- BACON *****

NO EDITING ERRORS OCCURRED DURING EDIT PHASE
PROGRAM EXAMPL20 WAS NOT MODIFIED
NEXT RUN IS NO. 2
EDIT PHASE COMPLETED---SUCCESSFULLY

LCCATION COUNTER OBJECT CODE STATEMENT NUMBER

CARC IMAGE

 *** DEMONSTRATION CF GRADER ***

NOTE 1: EACH ANSWER DEPENDS
 ON PREVIOUS RESULTS.

NOTE 2: THE PROBLEM USES
 "IMMEDIATE" TYPE DATA.

NOTE 3: THE PROBLEM IS AN
 EXAMPLE CF GRADER INTER-
 ACTION ONLY AND IS NOT CON-
 SIDERED TO BE SUITABLE FOR
 A STUDENT TYPE PROBLEM.

FIRST ANSWER

THE FIRST TWO INSTRUCTIONS
 INITIALIZE THE GRADER FOR
 PROBLEM NO. 1. "TOFF" TURNS
 THE TRACE OFF. THE NUMBERS
 125 AND 24 ARE THEN ADDED
 AND 50 IS SUBTRACTED IN THE
 EXECUTION OF THE SINGLE
 INSTRUCTION "AXAI".

| | | | | |
|-----|----------|-------|----------|-----|
| 010 | C0300000 | REGIN | SVC | 3,0 |
| 011 | 00000000 | DC | TOFF | 0 |
| 015 | A133007C | AXAI | 3,125(3) | |
| 016 | A127C018 | AXAI | 4,24(4) | |
| 017 | A234FFCE | AXAI | 3,-50(4) | |
| 018 | 60300064 | ST | 3,NUMBRS | |

THE RESULT IS THEN PRINTED
 AND THE GRADER IS CALLED TO
 CHECK THE FIRST INTERMEDIATE
 ANSWER WHICH IS LOCATED AT
 THE EFFECTIVE ADDRESS OF
 "NUMBRS".

PUTC NUMBRS,NO=10
 RET
 SVC
 H

020 CC3000C1
 021 00000064

29 MAY. 1969

SOS/360

OPERATING SYSTEM

SCHOOL STUDENT

NAVAL POSTGRAD

EXAMPL20

JCBNAME:

SYMBCL TABLE

DEFINITION

SYMBCL 0000010

BEGIN 0000063

EOF 0000023

LCCP1 0000064

NUMPR 0000064

UNASSEMBLED STATEMENTS***

COMPLETED SUCCESSFULLY***

***ASSEMBLY PHASE COMPLETED SUCCESSFULLY**

LCAD PHASE COMPLETED SUCCESSFULLY

NAME: BACNR20 JOBNAME: EXAMPL20 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969 OLD WORK NEW WORD
CCNTRCL CURRENT REG NOS OLD REG CONTENTS XREG INDEX REG IDADD EFF CONTENTS CONTENTS
CCOUNTER INST C03C0000 CONTENTS NC CONTENTS LEVEL ADD 00000000
010 012 9C0C0014 014

99
2475
9900
16
2147483647
-2147483648
HALT INSTRUCTION: 104 INSTRUCTIONS EXECUTED
NCRPAL EXIT--END CF JCR

BACKKEEPING PHASE MAP CF OPTIONS

```

CONFIGURATION--1,
COPE ZEROED--YES,
CUMP REQUESTED--YES,
GRACER--YES,
IYAX NUM EXECUTABLE INSTRUCTIONS--SOSASUM(3),
IYAX NUM PRINTED LINES--SOSASUM(2),
IYAX NUM TRACED INSTRUCTIONS--SOSASUM(1),
OUTPUT HEACES--TRACE,
STATUS--STUDENT,
TRACE INITIALLY--CN,
WARNINGS PRINTED--YES,

```

```
1SCSASUM=(500,100C,2000)
2SCSMAX=(200,10C0,10C00)
```

 ** IF A MAN WILL BEGIN WITH CERTAINTIES **
 ** HE SHALL END IN DOUBTS; BUT IF HE **
 ** WILL BE CONTENT TO BEGIN WITH DOUBTS **
 ** HE SHALL END IN CERTAINTIES. **
 ** -- BACON **

NO EDITING ERRORS OCCURRED DURING EDIT PHASE
PROGRAM EXAMPL21 WAS NOT MODIFIED
NEXT RUN IS NO. 2
EDIT PHASE COMPLETED---SUCCESSFULLY

LCCATION OBJECT STATEMENT
COUNTER CODE NUMBER

CARD IMAGE

** DEMONSTRATION OF GRADER **

NOTE 1: EACH ANSWER DEPENDS
ON PREVIOUS RESULTS.

NOTE 2: THE PROBLEM USES
"IMMEDIATE" TYPE DATA.

NOTE 3: THE PROBLEM IS AN
EXAMPLE OF GRADER INTER-
ACTION ONLY AND IS NOT CON-
SIDERED TO BE SUITABLE FOR
A STUDENT TYPE PROBLEM.

FIRST ANSWER

THE FIRST TWO INSTRUCTIONS
INITIALIZE THE GRADER FOR
PROBLEM NO. 1. "TOFF" TURNS
THE TRACE OFF. THE NUMBERS
125 AND 24 ARE THEN ADDED
AND 50 IS SUBTRACTED IN THE
EXECUTION OF THE SINGLE
INSTRUCTION "AXAI".

| | | | | |
|-----|----------|-------|------|----------|
| C10 | C03C0000 | BEGIN | SVC | 3,0 |
| C11 | 00000000 | | DC | 0 |
| | | | TOFF | 0 |
| C15 | A133C07D | | SXAI | 3,125(3) |
| C16 | A144001B | | SXAI | 4,24(4) |
| C17 | A234FFCE | | AXAI | 3,-50(4) |
| C18 | 60300064 | | ST | 3,NUMBR5 |

THE RESULT IS THEN PRINTED
AND THE GRADER IS CALLED TO
CHECK THE FIRST INTERMEDIATE
ANSWER WHICH IS LOCATED AT
THE EFFECTIVE ADDRESS OF
"NUMBR5".

PUTD NUMBR5,NO=10
RET 3,1
SVC NUMBR5
H

| | |
|-----|----------|
| C20 | CC300001 |
| C21 | 00000064 |

| LOCATION COUNTER | OBJECT CODE | STATEMENT NUMBER | CARD IMAGE |
|---------------------|----------------|---------------------|--------------------|
| C3C | 50700064 | 121 | L 7, NUMBRS |
| C3E | 40600064 | 122 | C 6, NUMBRS |
| C3F | 3060006E | 123 | M 6, =16 |
| C4C | 50700064 | 124 | ST 7, NUMBRS |
| | | 125 | PUTD NUMBRS, NO=10 |
| | | 126 | RET |
| | | 127 | SVC |
| | | 128 | H 3, 4 |
| 048 | C0300004 | 129 | NUMBRS |
| C49 | C0000064 | 130 | ***** |
| | | 131 | FIFTH ANSWER |
| | | 132 | ***** |
| | | 133 | ***** |
| | | 134 | ***** |
| | | 135 | ***** |
| | | 136 | ***** |
| | | 137 | ***** |
| | | 138 | ***** |
| | | 139 | ***** |
| | | 140 | ***** |
| | | 141 | ***** |
| | | 142 | ***** |
| | | 143 | ***** |
| | | 144 | ***** |
| | | 145 | ***** |
| 04A | 50300064 | 146 | L 3, NUMBRS |
| C4C | 1030006F | 147 | A 3, =2147483631 |
| | 60300064 | 148 | ST 3, NUMBRS |
| | | 149 | PUTD NUMBRS, NO=10 |
| | | 150 | RET |
| C54 | C0300005 | 151 | SVC 3, 5 |
| 055 | 00000064 | 152 | H NUMBRS |
| | | 153 | ***** |
| | | 154 | ***** |
| | | 155 | ***** |
| | | 156 | ***** |
| | | 157 | ***** |
| | | 158 | ***** |
| | | 159 | ***** |
| | | 160 | ***** |
| C56 | 20500005 | 161 | S 5, 5 |
| 057 | 50900064 | 162 | L 9, NUMBRS |
| 058 | A159FFFF | 163 | ST 5, -1(9) |
| C59 | 60500064 | 164 | ST 5, NUMBRS |
| | | 165 | PUTD NUMBRS, NO=11 |
| | | 166 | RET |
| 061 | C0300006 | 167 | SVC 3, 6 |
| C62 | 00000064 | 168 | H NUMBRS |
| C63 | 00000064 | 169 | EQF |
| C64 | CCCC0000 | 170 | NUMBRS |
| C1C | | 171 | DS 10 |
| | | 172 | END BEGIN |
| | | 173 | ***** |
| | | 174 | ***** |
| | | 175 | ***** |
| | | 176 | ***** |
| | | 177 | ***** |
| | | 178 | ***** |
| | | 179 | ***** |
| | | 180 | ***** |
| | | 181 | ***** |
| | | 182 | ***** |
| | | 183 | ***** |
| | | 184 | ***** |
| | | 185 | ***** |
| | | 186 | ***** |
| | | 187 | ***** |
| | | 188 | ***** |
| | | 189 | ***** |
| | | 190 | ***** |
| | | 191 | ***** |
| | | 192 | ***** |
| | | 193 | ***** |
| | | 194 | ***** |
| | | 195 | ***** |
| | | 196 | ***** |
| | | 197 | ***** |
| | | 198 | ***** |
| | | 199 | ***** |
| | | 200 | ***** |
| | | 201 | ***** |
| | | 202 | ***** |
| | | 203 | ***** |
| | | 204 | ***** |
| | | 205 | ***** |
| | | 206 | ***** |
| | | 207 | ***** |
| | | 208 | ***** |
| | | 209 | ***** |
| | | 210 | ***** |
| | | 211 | ***** |
| | | 212 | ***** |
| | | 213 | ***** |
| | | 214 | ***** |
| | | 215 | ***** |
| | | 216 | ***** |
| | | 217 | ***** |
| | | 218 | ***** |
| | | 219 | ***** |
| | | 220 | ***** |
| | | 221 | ***** |
| | | 222 | ***** |
| | | 223 | ***** |
| | | 224 | ***** |
| | | 225 | ***** |
| | | 226 | ***** |
| | | 227 | ***** |
| | | 228 | ***** |
| | | 229 | ***** |
| | | 230 | ***** |
| | | 231 | ***** |
| | | 232 | ***** |
| | | 233 | ***** |
| | | 234 | ***** |
| | | 235 | ***** |
| | | 236 | ***** |
| | | 237 | ***** |
| | | 238 | ***** |
| | | 239 | ***** |
| | | 240 | ***** |
| | | 241 | ***** |
| | | 242 | ***** |
| | | 243 | ***** |
| | | 244 | ***** |
| | | 245 | ***** |
| | | 246 | ***** |
| | | 247 | ***** |
| | | 248 | ***** |
| | | 249 | ***** |
| | | 250 | ***** |
| | | 251 | ***** |
| | | 252 | ***** |
| | | 253 | ***** |
| | | 254 | ***** |
| | | 255 | ***** |
| | | 256 | ***** |
| | | 257 | ***** |
| | | 258 | ***** |
| | | 259 | ***** |
| | | 260 | ***** |
| | | 261 | ***** |
| | | 262 | ***** |
| | | 263 | ***** |
| | | 264 | ***** |
| | | 265 | ***** |
| | | 266 | ***** |
| | | 267 | ***** |
| | | 268 | ***** |
| | | 269 | ***** |
| | | 270 | ***** |
| | | 271 | ***** |
| | | 272 | ***** |
| | | 273 | ***** |
| | | 274 | ***** |
| | | 275 | ***** |
| | | 276 | ***** |
| | | 277 | ***** |
| | | 278 | ***** |
| | | 279 | ***** |
| | | 280 | ***** |
| | | 281 | ***** |
| | | 282 | ***** |
| | | 283 | ***** |
| | | 284 | ***** |
| | | 285 | ***** |
| | | 286 | ***** |
| | | 287 | ***** |
| | | 288 | ***** |
| | | 289 | ***** |
| | | 290 | ***** |
| | | 291 | ***** |
| | | 292 | ***** |
| | | 293 | ***** |
| | | 294 | ***** |
| | | 295 | ***** |
| | | 296 | ***** |
| | | 297 | ***** |
| | | 298 | ***** |
| | | 299 | ***** |
| | | 300 | ***** |
| | | 301 | ***** |
| | | 302 | ***** |
| | | 303 | ***** |
| | | 304 | ***** |
| | | 305 | ***** |
| | | 306 | ***** |
| | | 307 | ***** |
| | | 308 | ***** |
| | | 309 | ***** |
| | | 310 | ***** |
| | | 311 | ***** |
| | | 312 | ***** |
| | | 313 | ***** |
| | | 314 | ***** |
| | | 315 | ***** |
| | | 316 | ***** |
| | | 317 | ***** |
| | | 318 | ***** |
| | | 319 | ***** |
| | | 320 | ***** |
| | | 321 | ***** |
| | | 322 | ***** |
| | | 323 | ***** |
| | | 324 | ***** |
| | | 325 | ***** |
| | | 326 | ***** |
| | | 327 | ***** |
| | | 328 | ***** |
| | | 329 | ***** |
| | | 330 | ***** |
| | | 331 | ***** |
| | | 332 | ***** |
| | | 333 | ***** |
| | | 334 | ***** |
| | | 335 | ***** |
| | | 336 | ***** |
| | | 337 | ***** |
| | | 338 | ***** |
| | | 339 | ***** |
| | | 340 | ***** |
| | | 341 | ***** |
| | | 342 | ***** |
| | | 343 | ***** |
| | | 344 | ***** |
| | | 345 | ***** |
| | | 346 | ***** |
| | | 347 | ***** |
| | | 348 | ***** |
| | | 349 | ***** |
| | | 350 | ***** |
| | | 351 | ***** |
| | | 352 | ***** |
| | | 353 | ***** |
| | | 354 | ***** |
| | | 355 | ***** |
| | | 356 | ***** |
| | | 357 | ***** |
| | | 358 | ***** |
| | | 359 | ***** |
| | | 360 | ***** |
| | | 361 | ***** |
| | | 362 | ***** |
| | | 363 | ***** |
| | | 364 | ***** |
| | | 365 | ***** |
| | | 366 | ***** |
| | | 367 | ***** |
| | | 368 | ***** |
| | | 369 | ***** |
| | | 370 | ***** |
| | | 371 | ***** |
| | | 372 | ***** |
| | | 373 | ***** |
| | | 374 | ***** |
| | | 375 | ***** |
| | | 376 | ***** |
| | | 377 | ***** |
| | | 378 | ***** |
| | | 379 | ***** |
| | | 380 | ***** |
| | | 381 | ***** |
| | | 382 | ***** |
| | | 383 | ***** |
| | | 384 | ***** |
| | | 385 | ***** |
| | | 386 | ***** |
| | | 387 | ***** |
| | | 388 | ***** |
| | | 389 | ***** |
| | | 390 | ***** |
| | | 391 | ***** |
| | | 392 | ***** |
| | | 393 | ***** |
| | | 394 | ***** |
| | | 395 | ***** |
| | | 396 | ***** |
| | | 397 | ***** |
| | | 398 | ***** |
| | | 399 | ***** |
| | | 400 | ***** |
| | | 401 | ***** |
| | | 402 | ***** |
| | | 403 | ***** |
| | | 404 | ***** |
| | | 405 | ***** |
| | | 406 | ***** |
| | | 407 | ***** |
| | | 408 | ***** |
| | | 409 | ***** |
| | | 410 | ***** |
| | | 411 | ***** |
| | | 412 | ***** |
| | | 413 | ***** |
| | | 414 | ***** |
| | | 415 | ***** |
| | | 416 | ***** |
| | | 417 | ***** |
| | | 418 | ***** |
| | | 419 | ***** |
| | | 420 | ***** |
| | | 421 | ***** |
| | | 422 | ***** |
| | | 423 | ***** |
| | | 424 | ***** |
| | | 425 | ***** |
| | | 426 | ***** |
| | | 427 | ***** |
| | | 428 | ***** |
| | | 429 | ***** |
| | | 430 | ***** |
| | | 431 | ***** |
| | | 432 | ***** |
| | | 433 | ***** |
| | | 434 | ***** |
| | | 435 | ***** |
| | | 436 | ***** |
| | | 437 | ***** |
| | | 438 | ***** |
| | | 439 | ***** |
| | | 440 | ***** |
| | | 441 | ***** |
| | | 442 | ***** |
| | | 443 | ***** |
| | | 444 | ***** |
| | | 445 | ***** |
| | | 446 | ***** |
| | | 447 | ***** |
| | | 448 | ***** |
| | | 449 | ***** |
| | | 450 | ***** |
| | | 451 | ***** |
| | | 452 | ***** |
| | | 453 | ***** |
| | | 454 | ***** |
| | | 455 | ***** |
| | | 456 | ***** |
| | | 457 | ***** |
| | | 458 | ***** |
| | | 459 | ***** |
| | | 460 | ***** |
| | | 461 | ***** |
| | | 462 | ***** |
| | | 463 | ***** |
| | | 464 | ***** |
| | | 465 | ***** |
| | | 466 | ***** |
| | | 467 | ***** |
| | | 468 | ***** |
| | | 469 | ***** |
| | | 470 | ***** |
| | | 471 | ***** |
| | | 472 | ***** |
| | | 473 | ***** |
| | | 474 | ***** |
| | | 475 | ***** |
| | | 476 | ***** |
| | | 477 | ***** |
| | | 478 | ***** |
| | | 479 | ***** |
| | | 480 | ***** |
| | | 481 | ***** |
| | | 482 | ***** |
| | | 483 | ***** |
| | | 484 | ***** |
| | | 485 | ***** |
| | | 486 | ***** |
| | | 487 | ***** |
| | | 488 | ***** |
| | | 489 | ***** |
| | | 490 | ***** |
| | | 491 | ***** |
| | | 492 | ***** |
| | | 493 | ***** |
| | | 494 | ***** |
| | | 495 | ***** |
| | | 496 | ***** |
| | | 497 | ***** |
| | | 498 | ***** |
| | | 499 | ***** |
| | | 500 | ***** |
| | | 501 | ***** |
| | | 502 | ***** |
| | | 503 | ***** |
| | | 504 | ***** |
| | | 505 | ***** |
| | | 506 | ***** |
| | | 507 | ***** |
| | | 508 | ***** |
| | | 509 | ***** |
| | | 510 | ***** |
| | | 511 | ***** |
| | | 512 | ***** |
| | | 513 | ***** |
| | | 514 | ***** |
| | | 515 | ***** |
| | | 516 | ***** |
| | | 517 | ***** |
| | | 518 | ***** |
| | | 519 | ***** |
| | | 520 | ***** |
| | | 521 | ***** |
| | | 522 | ***** |
| | | 523 | ***** |
| | | 524 | ***** |
| | | 525 | ***** |
| | | 526 | ***** |
| | | 527 | ***** |
| | | 528 | ***** |
| | | 529 | ***** |
| | | 530 | ***** |
| | | 531 | ***** |
| | | 532 | ***** |
| | | 533 | ***** |
| | | 534 | ***** |
| | | 535 | ***** |
| | | 536 | ***** |
| | | 537 | ***** |
| | | 538 | ***** |
| | | 539 | ***** |
| | | 540 | ***** |
| | | 541 | ***** |
| | | 542 | ***** |
| | | 543 | ***** |
| | | 544 | ***** |
| | | 545 | ***** |
| | | 546 | ***** |
| | | 547 | ***** |
| | | 548 | ***** |
| | | 549 | ***** |
| | | 550 | ***** |
| | | 551 | ***** |
| | | 552 | ***** |
| | | 553 | ***** |
| | | 554 | ***** |
| | | 555 | ***** |
| | | 556 | ***** |
| | | 557 | ***** |
| | | 558 | ***** |
| | | 559 | ***** |
| | | 560 | ***** |
| | | 561 | ***** |
| | | 562 | ***** |
| | | 563 | ***** |
| | | 564 | ***** |
| | | 565 | ***** |
| | | 566 | ***** |
| | | 567 | ***** |
| | | 568 | ***** |
| | | 569 | ***** |
| | | 570 | ***** |
| | | 571 | ***** |
| | | 572 | ***** |
| | | 573 | ***** |
| | | 574 | ***** |
| | | 575 | ***** |
| | | 576 | ***** |
| | | 577 | ***** |
| </ | | | |

NAME: BACNR21 JCRNAME: EXAMPL21 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 25 MAY, 1969
SYMBCL TABLE
SYMBCL DEFINITION
BEGIN C0000010
ECF 00000063
LOCPI 00000023
NUMERS 00000064
ASSEMBLY PHASE COMPLETED SUCCESSFULLY
UNASSEMBLED STATEMENTS
***LCAD PHASE COMPLETED SUCCESSFULLY**

NAME: BACNR21 JOBNAME: EXAMPL21 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969

THIS IS AN SCS GRADER RUN -- GOOD LUCK

PROB. 1 INITIALIZATION BEGUN

INITIALIZATION SUCCESSFUL

99
FIRST INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ***

2475
SECOND INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 020 ***

9900
THIRD INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 030 ***

16
FOURTH INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 040 ***

2147483647
FIFTH INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 050 ***

-2147483648
FINAL ANSWER CORRECT

\$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 100 \$\$\$

INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CONSTANT

HALT INSTRUCTION: 103 INSTRUCTIONS EXECUTED

YOUR PROGRAM REQUIRED FEWER INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY. ADDITIONAL CREDIT IS GIVEN BELOW.

\$\$\$ADDITIONAL CREDIT: TOTAL MACHINE GRADE WITH BONUS POINTS= 110 \$\$\$

NAME: BACNR22 JOBNAME: EXAMPL22 NAVAL POSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969
 THIS IS AN SOS GRADER RUN -- GOOD LUCK
 PROB. 1 INITIALIZATION BEGUN
 INITIALIZATION SUCCESSFUL

100
 INSTRUCTOR MESSAGE NO. 1: USE SXAI TO LCAC CONSTANTS INTO REGISTERS
 FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

2475
 SECOND INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ***

9900
 THIRD INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 020 ***

16
 FOURTH INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 030 ***

2147483647
 FIFTH INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 040 ***

-2147483648
 FINAL ANSWER CORRECT

\$\$\$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 090 \$\$\$\$

INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CONSTANT

HALT INSTRUCTION: 104 INSTRUCTIONS EXECUTED

YOUR PROGRAM REQUIRED FEWER INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY. ADDITIONAL CREDIT IS GIVEN BELCW.
 \$\$\$\$ADDITIONAL CREDIT: TOTAL MACHINE GRADE WITH BONUS POINTS= 100 \$\$\$\$

NAME: BACNR23 JCBNAME: EXAMPL23 NAVAL POSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969

THIS IS AN SCS GRADER RUN -- GOOD LUCK

PROB. 1 INITIALIZATION BEGUN

INITIALIZATION SUCCESSFUL

100

INSTRUCTOR MESSAGE NO. 1: USE SXAI TO LOAD CONSTANTS INTO REGISTERS

FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

2476

INSTRUCTOR MESSAGE NO. 2: BCT R,LCC(X)

SECOND INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

5900

THIRD INTERMEDIATE ANSWER CORRECT

***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ***

16

FOURTH INTERMEDIATE ANSWER CORRECT

***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 020 ***

2147483647

FIFTH INTERMEDIATE ANSWER CORRECT

***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 030 ***

-2147483648

FINAL ANSWER CORRECT

\$\$\$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 080 \$\$\$

INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CONSTANT

FALT INSTRUCTION: 1C5 INSTRUCTIONS EXECUTED

YOUR PROGRAM REQUIRED FEWER INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY. ADDITIONAL CREDIT IS GIVEN RELCW.

\$\$\$\$\$ADDITIONAL CREDIT: TOTAL MACHINE GRADE WITH BONUS POINTS= 090 \$\$\$

NAME: BACONR24 JCBNAME: EXAMPL24 NAVAL POSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969
 THIS IS AN SOS GRADER RUN -- GOOD LUCK
 PRCB. 1 INITIALIZATION BEGUN
 INITIALIZATION SUCCESSFUL

99
 FIRST INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ***

2475
 SECCND INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 020 ***

5900
 THIRC INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 030 ***

16
 FOURTH INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 040 ***

2147483647
 FIFTH INTERMEDIATE ANSWER CORRECT
 ***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 050 ***

-2147483648
 FINAL ANSWER CORRECT

\$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 100 \$\$\$
 INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CCNSTANT
 FALT INSTRUCTION: 1C9 INSTRUCTIONS EXECUTED
 YOUR PROCGRAM REQUIRED MORE INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY.

NAME: BACNR25 JOBNAME: EXAMPL25 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969

THIS IS AN SCS GRADER RUN -- GOOD LUCK

PCB. 1 INITIALIZATION BEGUN

INITIALIZATION SUCCESSFUL

100
INSTRUCTOR MESSAGE NO. 1: USE SXAI TO LOAD CONSTANTS INTO REGISTERS
FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

2476
INSTRUCTOR MESSAGE NO. 2: BCT R,LCC(X)
SECOND INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

9901
THE BEAUTY OF USING SHIFT INSTRUCTIONS INSTEAD OF MULTIPLICATION AND DIVISION BY 2**N IS THAT IT ONLY INVOLVES ONE REGISTER.
THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

16
FOURTH INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ***

2147483647
FIFTH INTERMEDIATE ANSWER CORRECT
***ACCUMULATED INTERMEDIATE ANSWER CREDIT= 020 ***

-2147483648
FINAL ANSWER CORRECT

\$\$\$\$\$END OF GRADEP RUN: TOTAL MACHINE GRADE= 070 \$\$\$\$

INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CONSTANT

ALT INSTRUCTION: 106 INSTRUCTIONS EXECUTED

YOUR PROGRAM REQUIRED MORE INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY.

NAME: BACNR26 JOBNAME: EXAMPL26 NAVAL PCSTGRAC SCHOOL STUDENT OPERATING SYSTEM SUS/360 25 MAY, 1969
 THIS IS AN SCS GRADER RUN -- GOOD LUCK
 PRCR. 1 INITIALIZATION BEGUN
 INITIALIZATION SUCCESSFUL

¹⁰⁰
 INSTRUCTOR MESSAGE NO. 1: USE SXAI TO LOAD CCNANTS INTO REGISTERS
 FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

²⁴⁷⁶
 INSTRUCTOR MESSAGE NO. 2: BCT R,LCC(X)
 SECCND INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

⁹⁹⁰¹
 THE BEAUTY OF USING SHIFT INSTRUCTIONS INSTEAD CF MULTIPLICATION AND DIVISION BY 2**N IS THAT IT ONLY INVCLVESOME REGISTER.
 THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

¹⁷
 IS THE INSTRUCTION # 16,LABEL VALID?
 FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

2147483647
 FIFTH INTERMEDIATE ANSWER CORRECT
 **ACCUMULATED INTERMEDIATE ANSWER CREDIT= 010 ###

-2147483648
 FINAL ANSWER CORRECT
 \$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 060 \$\$\$
 INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE CF A DECIMAL CONSTANT
 FALT INSTRUCTION: 1C7 INSTRUCTIONS EXECUTED
 YOUR PROGRAM REQUIRED MORE INSTRUCTIONS THAN THE MEDIAN FCR PROJECTS IN THIS CATEGORY.

NAME: BACONR27 JOBNAME: EXAMPL27 NAVAL PCSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969
 THIS IS AN SCS GRADER RUN -- GOOD LUCK
 PROB. 1 INITIALIZATION BEGUN
 INITIALIZATION SUCCESSFUL

100
 INSTRUCTOR MESSAGE NC. 1: USE SXAI TO LOAD CONSTANTS INTO REGISTERS
 FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

2476
 INSTRUCTOR MESSAGE NC. 2: BCT R,LOC(X)
 SECCND INTERMEDIATE ANSWER NOT CCRRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

9901
 THE BEAUTY OF USING SHIFT INSTRUCTIONS INSTEAD CF MULTIPLICATION AND DIVISION BY 2**N IS THAT IT ONLY INVOLVESCNE REGISTER.
 THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

17
 IS THE INSTRUCTION M 16,LABEL VALID?
 FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CCNTINUED.

2147483646
 WHY IS THE ABSOLUTE VALUE CF THIS ANSWER LESS THAN THE ABSOLUTE VALUE OF THE NEXT ANSWER?
 FIFTH INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

-2147483648
 FINAL ANSWER CORRECT
 \$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 050 \$\$\$
 INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE CF A DECIMAL CONSTANT
 HALT INSTRUCTION: 1C8 INSTRUCTIONS EXECUTEC
 YOUR PROGRAM REQUIRED MORE INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY.

NAME: BACONR28 JCBNAME: EXAMPL28 NAVAL POSTGRAD SCHOOL STUDENT OPERATING SYSTEM SOS/360 29 MAY, 1969
 THIS IS AN SCS GRADER RUN -- GOOD LUCK
 PRCB. 1 INITIALIZATION BEGUN
 INITIALIZATION SUCCESSFUL

¹⁰⁰
 INSTRUCTOR MESSAGE NO. 1: USE SXAI TO LOAD CONSTANTS INTO REGISTERS
 FIRST INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

²⁴⁷⁶
 INSTRUCTOR MESSAGE NO. 2: BCT R,LOC(X)
 SECOND INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

⁵⁹⁰¹
 THE BEAUTY OF USING SHIFT INSTRUCTIONS INSTEAD OF MULTIPLICATION AND DIVISION BY 2**N IS THAT IT ONLY INVOLVES ONE REGISTER.
 THIRD INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

¹⁷
 IS THE INSTRUCTION # 16, LABEL VALID?
 FOURTH INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

²¹⁴⁷⁴⁸³⁶⁴⁶
 WHY IS THE ABSOLUTE VALUE OF THIS ANSWER LESS THAN THE ABSOLUTE VALUE OF THE NEXT ANSWER?
 FIFTH INTERMEDIATE ANSWER NOT CORRECT. DATA SUBSTITUTED. ROUTINE CONTINUED.

⁻²¹⁴⁷⁴⁸³⁶⁴⁷
 FINAL ANSWER INCORRECT
 \$\$\$END OF GRADER RUN: TOTAL MACHINE GRADE= 050 \$\$\$
 INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF A DECIMAL CONSTANT
 HALT INSTRUCTION: 1CS INSTRUCTIONS EXECUTED
 YOUR PROGRAM REQUIRED MORE INSTRUCTIONS THAN THE MEDIAN FOR PROJECTS IN THIS CATEGORY.

APPENDIX E

Example of Instructor's Answer Control Section.

*** APPENDIX E: INSTRUCTOR'S ANSWER CONTROL SECTION ***

| LOC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE STATEMENT |
|-----|-------------|-------|-------|------|-------------------------------------|
| 41 | ENAME | | | | MACRO |
| 42 | PROF | | | | LCLA |
| 43 | | | | | EN,EB1,EB2,EB3 |
| 44 | * | | | | |
| 45 | * | | | | |
| 46 | * | | | | |
| 47 | * | | | | |
| 48 | * | | | | |
| 49 | * | | | | |
| 50 | * | | | | |
| 51 | * | | | | |
| 52 | * | | | | |
| 53 | * | | | | |
| 54 | * | | | | |
| 55 | * | | | | |
| 56 | * | | | | |
| 57 | * | | | | |
| 58 | * | | | | |
| 59 | * | | | | |
| 60 | * | | | | |
| 61 | EB1 | | | | (N'ESYSLIST GT 3).ERROR1 |
| 62 | EB2 | | | | 1 |
| 63 | EB3 | | | | 1 |
| 64 | | | | | (N'ESYSLIST EQ 0).HERE |
| 65 | LOOP | | | | |
| 66 | EN | | | | EN+1 |
| 67 | | | | | (N'ESYSLIST(EN): EQ 'NOMSG').SET1 |
| 68 | | | | | (N'ESYSLIST(EN): EQ 'NODATA').SET2 |
| 69 | | | | | (N'ESYSLIST(EN): EQ 'NOBONUS').SET3 |
| 70 | | | | | (EN LE 2).LOOP |
| 71 | | | | | .HERE |
| 72 | | | | | AGO |
| 73 | SET1 | | | | ANOP |
| 74 | EB1 | | | | SETA |
| 75 | | | | | AGO |
| 76 | SET2 | | | | ANOP |
| 77 | EB2 | | | | SETA |
| 78 | | | | | AGO |
| 79 | SET3 | | | | ANOP |
| 80 | EB3 | | | | SETA |
| 81 | | | | | AGO |
| 82 | ERROR1 | | | | MNOTE |
| 83 | | | | | MEXIT |
| 84 | HERE | | | | ANOP |
| 85 | CONTROL | | | | DC |
| 86 | | | | | DC |
| 87 | | | | | MEND |

[illegible]

*** APPENDIX E: INSTRUCTOR'S ANSWER CONTROL SECTION ***

| LCC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE STATEMENT |
|--------|-------------|-------|-------|------|------------------|
| 000001 | | | | 114 | GINIT |
| 000002 | 00000063 | | | 115 | PROFS |
| 000003 | 00000063 | | | 116 | ANS1 |
| 000004 | 00000063 | | | 117 | ANS2 |
| 000005 | 00000063 | | | 118 | ANS3 |
| 000006 | 00000063 | | | 119 | ANS4 |
| 000007 | 00000063 | | | 120 | ANS5 |
| 000008 | 00000063 | | | 121 | ANS6 |
| 000009 | 00000063 | | | 122 | NOINTANS |
| 000010 | 00000063 | | | 123 | NOX |
| 000011 | 00000063 | | | 124 | PROFS |
| 000012 | 00000063 | | | 125 | CONTROL |
| 000013 | 00000063 | | | 126 | IMESS1 |
| 000014 | 00000063 | | | 127 | IMESS1 |
| 000015 | 00000063 | | | 128 | IMESS1 |
| 000016 | 00000063 | | | 129 | IMESS1 |
| 000017 | 00000063 | | | 130 | IMESS1 |
| 000018 | 00000063 | | | 131 | IMESS1 |
| 000019 | 00000063 | | | 132 | IMESS1 |
| 000020 | 00000063 | | | 133 | IMESS1 |
| 000021 | 00000063 | | | 134 | IMESS2 |
| 000022 | 00000063 | | | 135 | IMESS2 |
| 000023 | 00000063 | | | 136 | IMESS2 |
| 000024 | 00000063 | | | 137 | IMESS2 |
| 000025 | 00000063 | | | 138 | IMESS2 |
| 000026 | 00000063 | | | 139 | IMESS2 |
| 000027 | 00000063 | | | 140 | IMESS2 |
| 000028 | 00000063 | | | 141 | IMESS2 |
| 000029 | 00000063 | | | 142 | IMESS2 |
| 000030 | 00000063 | | | 143 | IMESS2 |
| 000031 | 00000063 | | | 144 | IMESS3 |
| 000032 | 00000063 | | | 145 | IMESS3 |
| 000033 | 00000063 | | | 146 | IMESS3 |
| 000034 | 00000063 | | | 147 | IMESS3 |
| 000035 | 00000063 | | | 148 | IMESS3 |
| 000036 | 00000063 | | | 149 | IMESS3 |
| 000037 | 00000063 | | | 150 | IMESS4 |
| 000038 | 00000063 | | | 151 | IMESS4 |
| 000039 | 00000063 | | | 152 | IMESS4 |
| 000040 | 00000063 | | | 153 | IMESS4 |
| 000041 | 00000063 | | | 154 | IMESS4 |
| 000042 | 00000063 | | | 155 | IMESS4 |
| 000043 | 00000063 | | | 156 | IMESS4 |
| 000044 | 00000063 | | | 157 | IMESS4 |
| 000045 | 00000063 | | | 158 | IMESS4 |
| 000046 | 00000063 | | | 159 | IMESS4 |
| 000047 | 00000063 | | | 160 | IMESS5 |
| 000048 | 00000063 | | | 161 | IMESS5 |
| 000049 | 00000063 | | | 162 | IMESS5 |
| 000050 | 00000063 | | | 163 | IMESS5 |
| 000051 | 00000063 | | | 164 | IMESS5 |
| 000052 | 00000063 | | | 165 | IMESS5 |

*** APPENDIX E: INSTRUCTOR'S ANSWER CONTROL SECTION ***

| LOC | OBJECT CODE | ADDR1 | ADDR2 | STMT | SOURCE STATEMENT |
|--------|------------------|-------|-------|------|------------------|
| 000200 | | | | 165+ | ORG |
| 000201 | | | | 167 | IMSG |
| 000202 | | | | 168+ | ORG |
| 000203 | | | | 169+ | DS |
| 000204 | | | | 170+ | ORG |
| 000205 | 83 | | | 171+ | IMESSF |
| 000206 | 02 | | | 172+ | DC |
| 000207 | | | | 173+ | DC |
| 000208 | | | | 174+ | ORG |
| 000209 | | | | 175 | END |
| 000210 | 40C9D5E2E3D9E4C3 | | | | |
| 000211 | | | | | |
| 000212 | | | | | |
| 000213 | | | | | |
| 000214 | | | | | |
| 000215 | | | | | |
| 000216 | | | | | |
| 000217 | | | | | |
| 000218 | | | | | |
| 000219 | | | | | |
| 000220 | | | | | |
| 000221 | | | | | |
| 000222 | | | | | |
| 000223 | | | | | |
| 000224 | | | | | |
| 000225 | | | | | |
| 000226 | | | | | |
| 000227 | | | | | |
| 000228 | | | | | |
| 000229 | | | | | |
| 000230 | | | | | |
| 000231 | | | | | |
| 000232 | | | | | |
| 000233 | | | | | |
| 000234 | | | | | |
| 000235 | | | | | |
| 000236 | | | | | |
| 000237 | | | | | |
| 000238 | | | | | |
| 000239 | | | | | |
| 000240 | | | | | |
| 000241 | | | | | |
| 000242 | | | | | |
| 000243 | | | | | |
| 000244 | | | | | |
| 000245 | | | | | |
| 000246 | | | | | |
| 000247 | | | | | |
| 000248 | | | | | |
| 000249 | | | | | |
| 000250 | | | | | |
| 000251 | | | | | |
| 000252 | | | | | |
| 000253 | | | | | |
| 000254 | | | | | |
| 000255 | | | | | |
| 000256 | | | | | |
| 000257 | | | | | |
| 000258 | | | | | |
| 000259 | | | | | |
| 000260 | | | | | |
| 000261 | | | | | |
| 000262 | | | | | |
| 000263 | | | | | |
| 000264 | | | | | |
| 000265 | | | | | |
| 000266 | | | | | |
| 000267 | | | | | |
| 000268 | | | | | |
| 000269 | | | | | |
| 000270 | | | | | |
| 000271 | | | | | |
| 000272 | | | | | |
| 000273 | | | | | |
| 000274 | | | | | |
| 000275 | | | | | |
| 000276 | | | | | |
| 000277 | | | | | |
| 000278 | | | | | |
| 000279 | | | | | |
| 000280 | | | | | |
| 000281 | | | | | |
| 000282 | | | | | |
| 000283 | | | | | |
| 000284 | | | | | |
| 000285 | | | | | |
| 000286 | | | | | |
| 000287 | | | | | |
| 000288 | | | | | |
| 000289 | | | | | |
| 000290 | | | | | |
| 000291 | | | | | |
| 000292 | | | | | |
| 000293 | | | | | |
| 000294 | | | | | |
| 000295 | | | | | |
| 000296 | | | | | |
| 000297 | | | | | |
| 000298 | | | | | |
| 000299 | | | | | |
| 000300 | | | | | |

INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALUE OF X
 A DECIMAL CONSTANT
 *+2
 CL132
 *-2
 AL1(131)
 XL1(132)
 CL132, INSTRUCTOR FINAL MESSAGE: THIS IS THE MINIMUM VALX
 UE OF A DECIMAL CONSTANT
 ORG
 END

BIBLIOGRAPHY

1. Hollingsworth, Jack, "Automatic Graders for Programming Classes," Communications of the ACM, v. 3, p. 528-529, October 1960.
2. Forsythe, George E., and Wirth, Nicklaus, "Automatic Grading Programs," Communications of the ACM, v. 8, p. 275-278, May 1965.
3. Forsythe, George E., Automatic Machine Grading Systems, Proceedings A. C. M. National Conference, 1964, p. N1.4-1, A.C.M., 1964.
4. Berry, R. E., "Grader Programs," The Computer Journal, v. 9, p. 252-256, 1966.
5. Naur, P., "Automatic Grading of Students ALGOL Programming," B.I.T., v. 4, p. 177, 1964.
6. Temperley, J. F., and Smith, Barry W., "A Grading Procedure for PL/I Student Exercises," The Computer Journal, v. 10, p. 368-374, February 1968.
7. Hext, J. B., and Winings, J. W., "An Automatic Grading Scheme for Simple Programming Exercises," Communications of the ACM, v. 12, p. 272-275, May 1969.
8. Montalbano, Michael S., Expressing Program Logic, Data Processing Digest, v. 14, p. 1-16, September 1968.
9. Opler, Ascher, Is Assembly Language Programming Passe' ?, Data Processing Digest, v. 14, p. 1-15, October 1968.
10. Wile, David S., Munck, Robert G., and van Dam, Andries, The Brown University Student Operating System, Proceedings of 22nd National Conference, A.C.M., p. 427-439, Thompson Book Company, 1967.
11. Brown University Students in A. M. 101-102, SOS Brown University Student Operating System for IBM System/360 Model 50, Center for Computer and Information Sciences, Brown University, November, 1968.

INITIAL DISTRIBUTION LIST

| | No Copies |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314 | 20 |
| 2. Library, Code 0212 Naval Postgraduate School Monterey, California 93940 | 2 |
| 3. Chief of Naval Operations (OP-91) Department of the Navy Washington, D.C. 20350 | 1 |
| 4. Prof. G. L. Barksdale, Jr. (thesis advisor) Department of Mathematics (Code 53Bv) Naval Postgraduate School Monterey, California 93940 | 1 |
| 5. Prof. Edward A. Singer Department of Mathematics (Code 53Sf) Naval Postgraduate School Monterey, California 93940 | 1 |
| 6. Prof. W. S. Brainerd Department of Mathematics (Code 53Bz) Naval Postgraduate School Monterey, California 93940 | 1 |
| 7. Prof. D. G. Williams Computing Center (Code 0211) Naval Postgraduate School Monterey, California 93940 | 1 |
| 8. Prof. Andries van Dam Brown University Providence, Rhode Island 02912 | 1 |
| 9. Richard M. Kogut Computer Laboratory Brown University Providence, Rhode Island 02912 | 1 |
| 10. LCDR Roger F. Bacon, USN (student) USS HALIBUT (SSN-587) FPO San Francisco 96601 | 1 |

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

| | | | |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--|
| 1. ORIGINATING ACTIVITY (Corporate author) Naval Postgraduate School Monterey, California | | 2a. REPORT SECURITY CLASSIFICATION Unclassified | |
| | | 2b. GROUP | |
| 3. REPORT TITLE An Investigation of An Automatic Machine Grading System for Assembly Language Instruction | | | |
| 4. DESCRIPTIVE NOTES (Type of report and, inclusive dates) Master's Thesis; (June 1969) | | | |
| 5. AUTHOR(S) (First name, middle initial, last name) Roger Francis Bacon | | | |
| 6. REPORT DATE June 1969 | 7a. TOTAL NO. OF PAGES 105 | 7b. NO. OF REFS 11 | |
| 8a. CONTRACT OR GRANT NO. | 9a. ORIGINATOR'S REPORT NUMBER(S) | | |
| b. PROJECT NO. | | | |
| c. | 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) | | |
| d. | | | |
| 10. DISTRIBUTION STATEMENT Distribution of this document is unlimited | | | |
| 11. SUPPLEMENTARY NOTES | | 12. SPONSORING MILITARY ACTIVITY Naval Postgraduate School Monterey, California 93940 | |

| |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13. ABSTRACT <p>Machine grading techniques are becoming of greater importance because of the increased number of students in programming classes. Characteristics and limitations of automatic machine grading systems are proposed. A grader for introductory assembly language programming courses was developed. The properties of this grader are discussed and an example of a graded program is given.</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| 14 KEY WORDS | LINK A | | LINK B | | LINK C | |
|--------------------------------|--------|----|--------|----|--------|----|
| | ROLE | WT | ROLE | WT | ROLE | WT |
| Grader Program Characteristics | | | | | | |
| Automatic Machine Grading | | | | | | |
| Assembly Language Grading | | | | | | |
| Grader Programs | | | | | | |
| Computer Grading Programs | | | | | | |

Thesis
B115
c.1

Bacon

109295

An investigation of
an automatic machine
grading system for
assembly language in-
struction.

Thesis
B115
c.1

Bacon

109295

An investigation of
an automatic machine
grading system for
assembly language in-
struction.

thesB115

An investigation of an automatic machine



3 2768 000 99011 3

DUDLEY KNOX LIBRARY